


jaga

CLIMATE DESIGNERS

Heating 

IGUANA ANGULA PLUS kr. 2024.DK



jaga

CLIMATE DESIGNERS

IGUANA ANGULA PLUS

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

A radiator around the corner. Great capacity in a small space. A special solution, both energy-wise and aesthetically!



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
Small Product 2000

IGUANA ANGULA traffic white 333





IGUANA ANGUOLA PLUS




IGUANA ANGULA PLUS




DIMENSIONS (in cm)



ANGULA PLUS / CR



ANGULA PLUS / CL



L	A	B	C	E
40.0	10.5	29.0	10.0	21.0
45.5	13.0	34.5	15.5	26.5
51.0	16.0	40.0	21.0	32.0

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- 2 side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection: connection sets 41, 42, 48 or 49.
Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	Kr.
	CODE.PW3.PS.1...	2333
set 41	CHROME	Kr.
	CODE.PW3.AW.1...	983
	CODE.PW3.AC.1...	1110

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information



IGUANA ANGULA PLUS

code	height	length	colour	conn.	corner
ANPW .	180	040 .	XXX /MM /XX		
		fill in colour code			CL or CR

	Watts 75/65	Watts 55/45	Kr. st. colour	Kr. other
L H 180				
040	1745	866	12360	14820
046	2078	1032	14378	17258
051	2410	1196	16395	19688
L H 192				
040	1823	911	13148	15773
046	2170	1084	15135	18165
051	2517	1257	17138	20558
L H 220				
040	1978	1002	14648	17595
046	2355	1193	16770	20115
051	2732	1385	18885	22658
L H 240				
040	2066	1058	15450	18548
046	2460	1260	17685	21218
051	2854	1461	19913	23903

EN442 output at 20°C room temperature

MILTON
MEGATHERM

MILTON MEGATHERM A/S

Formervangen 14-16
DK - 2600 Glostrup

Tel: +45 4697 0000
Fax: +45 4697 0001

info@miltonmegatherm.dk
www.miltonmegatherm.dk

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in DKK, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.