


jaga

CLIMATE DESIGNERS

Heating 

IGUANA APLANO kr. 2024.DK



jaga

CLIMATE DESIGNERS

IGUANA APLANO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Aplano the slim triangular radiant pipes are placed alongside each other in a flat plane. Elegant simplicity with a frivolous touch.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
Sonderauszeichnung

IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

IGUANA APLANO

traffic white 333, optional towel rail






IGUANA APLANO

IGUANA APLANO

DIMENSIONS (in cm)



APLANO APLANO PLUS



L	C
30	16
41	27
52	38
63	49
74	60
85	71

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	Kr.
	CODE.PW3.PS.1...	2333
set 41	CHROME	Kr.
	CODE.PW3.AW.1...	983
	CODE.PW3.AC.1...	1110

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	Kr.
Towel rail			
9087.033560	56	41-52-63-74-85	2243
9087.033660	66	63-74-85	2243



CODE	L	L radiator	Kr.
Hat rack			
9087.034560	56	41-52-63-74-85	2565
9087.034660	66	63-74-85	2565



APLANO

code height length colour conn.
APLW . 180 030 . XXX /MM
fill in colour code _____

	Watts 75/65	Watts 55/45	Kr. st. colour	Kr. other
L H 180				
030	700	349	4965	5948
041	954	476	6465	7755
052	1208	603	8010	9600
063	1463	730	9510	11415
074	1717	857	11025	13230
085	1972	984	12540	15060
L H 192				
030	733	366	5153	6188
041	999	499	6728	8078
052	1265	632	8310	9968
063	1532	766	9900	11873
074	1798	899	11468	13755
085	2065	1032	13058	15660
L H 200				
030	754	377	5265	6323
041	1028	515	6893	8288
052	1302	652	8520	10230
063	1576	789	10125	12165
074	1850	926	11768	14123
085	2124	1063	13395	16073
L H 220				
030	804	403	5565	6683
041	1097	551	7298	8760
052	1389	697	9038	10838
063	1681	844	10785	12938
074	1974	991	12525	15008
085	2266	1137	14265	17108
L H 240				
030	851	428	5865	7050
041	1161	584	7718	9270
052	1471	740	9578	11468
063	1780	896	11415	13695
074	2090	1052	13275	15915
085	2399	1208	15113	18128

APLANO PLUS

code height length colour conn.
APPW . 180 030 . XXX /MM
fill in colour code _____

	Watts 75/65	Watts 55/45	Kr. st. colour	Kr. other
L H 180				
030	964	461	6443	7725
041	1314	628	8408	10095
052	1664	795	10388	12465
063	2015	963	12368	14828
074	2365	1131	14325	17205
085	2716	1298	16313	19568
L H 192				
030	997	476	6698	8033
041	1359	649	8753	10500
052	1721	822	10800	12945
063	2084	996	12848	15428
074	2446	1169	14918	17903
085	2809	1342	16973	20363
L H 200				
030	1018	486	6825	8213
041	1388	663	8963	10740
052	1758	840	11063	13305
063	2128	1017	13185	15818
074	2498	1194	15300	18375
085	2868	1370	17423	20910
L H 220				
030	1070	511	7238	8685
041	1460	697	9488	11385
052	1849	883	11753	14108
063	2238	1069	14025	16815
074	2627	1255	16268	19530
085	3016	1440	18540	22245
L H 240				
030	1121	535	7628	9143
041	1529	729	10028	12045
052	1936	924	12428	14918
063	2344	1118	14828	17805
074	2751	1312	17250	20700
085	3159	1507	19658	23580

EN442 output at 20°C room temperature



MILTON
MEGATHERM

MILTON MEGATHERM A/S

Formervangen 14-16
DK - 2600 Glostrup

Tel: +45 4697 0000
Fax: +45 4697 0001

info@miltonmegatherm.dk
www.miltonmegatherm.dk

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in DKK, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.