

jaga

CLIMATE DESIGNERS

Heating 

PANEL PLUS VERTICAL kr. 2024.DK

jaga

CLIMATE DESIGNERS

PANEL PLUS

Elegant simplicity and power

Streamlined, elegant design. The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model or horizontal version ! The simple design of the Panel Plus radiator with its hidden rear collectors provides an elegant simplicity that oozes quality.

Horizontal version: see p. 68.
Freestanding version: see p. 156.

PANEL PLUS VERTICAL traffic white 333






PANEL PLUS 



DIMENSIONS (in cm)

- standard connection
- variant



DELIVERY

- universal central connection MM and 18/81 underneath
- standard and extended wall fixings included
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Universal central connection at the bottom, code MM, flow left or right. Connection 18 or 81 at the bottom is also possible with code MM.



Top connection (no surcharge): enter code 45 or 54, provide an air vent on the central heating pipework.

CONNECTION SETS

Connection to the wall with Deco-Pro valve

TRV head and sleeve couplings included.



set	DESCRIPTION	Kr.
48	BRUSHED STAINLESS STEEL	
	CODE.PW3.PS.1...	2333
41	CHROME	
	CODE.PW3.AW.1...	983
	CODE.PW3.AC.1...	1110
fill in sleeve coupling code		
	Precision metal tube 15/1	115
	Precision metal tube 16/1	116
	Precision metal tube 18/1	118
	RPE/ALU tube 16/2	316
	RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

code height length colour conn.
PPVW . 180 024 . XXX /MM
 fill in colour code —

	Watts 75/65	Watts 55/45	Kr. st. colour	Kr. other
L H 180				
024	584	294	4208	5033
031	730	368	5145	6165
037	875	441	6090	7320
043	1021	514	7058	8468
050	1167	588	8010	9600
056	1313	662	8955	10733
062	1459	735	9930	11910
069	1605	809	10553	12653
075	1751	882	11175	13403
081	1897	956	11790	14160
087	2043	1030	12435	14925
094	2189	1103	13043	15645
L H 200				
024	644	326	4448	5355
031	805	408	5483	6593
037	965	489	6540	7830
043	1126	570	7568	9083
050	1287	652	8603	10328
056	1448	733	9638	11580
062	1609	815	10710	12840
069	1770	897	11370	13650
075	1931	978	12045	14453
081	2092	1060	12713	15270
087	2253	1141	13373	16050
094	2414	1223	14040	16853
L H 220				
024	700	356	4733	5663
031	876	446	5828	6990
037	1051	535	6960	8355
043	1226	624	8070	9698
050	1401	713	9195	11025
056	1576	802	10328	12383
062	1751	892	11460	13748
069	1926	981	12210	14633
075	2101	1070	12900	15480
081	2276	1159	13643	16358
087	2451	1248	14340	17213
094	2627	1338	15068	18083
L H 240				
024	754	386	4995	6008
031	943	482	6195	7425
037	1131	579	7395	8873
043	1320	675	8603	10328
050	1508	771	9795	11768
056	1697	868	11003	13208
062	1885	964	12240	14670
069	2074	1061	13005	15608
075	2262	1157	13748	16515
081	2451	1254	14528	17430
087	2639	1350	15293	18353
094	2828	1447	16043	19253

EN442 output at 20°C room temperature

Horizontal version: see p. 68
 Freestanding version: see p. 156

MILTON

MEGATHERM

MILTON MEGATHERM A/S

Formervangen 14-16
DK - 2600 Glostrup

Tel: +45 4697 0000
Fax: +45 4697 0001

info@miltonmegatherm.dk
www.miltonmegatherm.dk

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in DKK, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.