




SANI RONDA kr. 2024.DK





DIMENSIONS (in cm)



DELIVERY

- central connection MM underneath
- wall fixing
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (233), smooth glossy finish
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

- central connection MM below or on top, flow left or right. Connection 18 or 81 is also possible



Other connections:

When assigning a different connection code MM will be removed (no surcharge - extended delivery time).

- top connection: enter code 45 or 54. Insert pipe included. Has to be mounted in the return. Always mount an air vent on the central heating pipework.
- side connection: enter code 41 or 58
- single point connection: see chapter "Connection set & Valves" - set 81 or 82. Not possible with a radiator on feet.
- one pipe connection with code MM and connection set 41 or 42.
- electric heating element and mixed application: see "Parts & Options"

CONNECTION SETS

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.

max. 50



set 48
BRUSHED STAINLESS STEEL Kr.

CODE.PW3.PS.1... 2333

set 41
CHROME Kr.

CODE.PW3.AW.1... 983

CODE.PW3.AC.1... 1110

fill in sleeve coupling code

Precision metal tube 15/1 115

Precision metal tube 16/1 116

Precision metal tube 18/1 118

RPE/ALU tube 16/2 316

RPE/ALU tube 18/2 318

Other connection sets and sleeve couplings

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information.

SANI RONDA

code height length colour conn.
SROW . 063 040 . XXX /MM
fill in colour code —

Watts	Watts	Kr.	Kr.
75/65	55/45	st. colour	other

L H 093

050	494	255	5318	6390
060	581	299	5685	6810

L H 122

040	546	281	5865	7050
050	665	341	6030	7238
060	784	402	6285	7538

L H 137

040	617	316	6285	7538
050	752	385	6465	7755
060	887	453	6758	8093
070	1022	522	7050	8445

L H 175

040	766	389	7440	8933
050	931	473	7673	9210
060	1097	558	8018	9608
070	1262	642	8393	10080
080	1428	726	8783	10553

L H 205


060	1314	665	9293	11138
070	1509	764	9788	11760
080	1705	864	10313	12368

EN442 output at 20°C
room temperature



For electric element
see p. 378

The classic towel-rail. A combination of simple timeless design and high heat output!



EN 442 75/65 55/45

MILTON
MEGATHERM

MILTON MEGATHERM A/S

Formervangen 14-16
DK - 2600 Glostrup

Tel: +45 4697 0000
Fax: +45 4697 0001

info@miltonmegatherm.dk
www.miltonmegatherm.dk

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in DKK, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.