




jaga

CLIMATE DESIGNERS

IGUANA ARCO & VISIO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
DACHAU HEIZUNG 2000

IGUANA VISIO aluminium 006, optional towel rail






IGUANA ARCO & VISIO

IGUANA ARCO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
29.8	10	10.1	14.1	4.1	8.1
41.0	20	11.1	16.1	5.1	10.1
51.9	30	12.7	17.7	6.7	11.7
62.5	40	12.2	17.2	6.2	11.2
73.3	50	13.7	18.7	7.7	12.7
83.9	60	15.7	20.7	9.7	14.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%


Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.



CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL



CODE.PW3.PS.1...

set 41

CHROME



CODE.PW3.AW.1...



CODE.PW3.AC.1...

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator
9087.023550	55	41-51
9087.023656	66	62-73-83

ARCO

code height length colour conn.
ARCW . 180 029 . XXX /MM
fill in colour code _____

	Watts 75/65	Watts 55/45
L H 180		
029	791	394
041	1079	538
051	1366	681
062	1654	824
073	1941	967
083	2229	1111
L H 192		
029	813	406
041	1109	554
051	1404	701
062	1700	849
073	1995	996
083	2291	1144
L H 200		
029	826	413
041	1127	564
051	1427	714
062	1727	864
073	2028	1014
083	2328	1164
L H 220		
029	858	431
041	1170	587
051	1482	744
062	1794	900
073	2106	1057
083	2418	1213
L H 240		
029	886	446
041	1208	608
051	1530	770
062	1852	932
073	2174	1094
083	2496	1256

IGUANA ARCO

ARCO PLUS

code height length colour conn.
ARPW . 180 029 . XXX /MM
fill in colour code _____


	Watts 75/65	Watts 55/45
L H 180		
029	999	492
041	1362	670
051	1725	849
062	2088	1027
073	2452	1207
083	2815	1385
L H 192		
029	1046	516
041	1427	704
051	1807	892
062	2187	1080
073	2568	1268
083	2948	1455
L H 200		
029	1076	532
041	1467	726
051	1858	919
062	2249	1112
073	2641	1306
083	3032	1500
L H 220		
029	1146	569
041	1563	777
051	1980	984
062	2397	1191
073	2813	1398
083	3230	1605
L H 240		
029	1210	604
041	1650	824
051	2090	1043
062	2530	1263
073	2970	1483
083	3410	1702

EN442 output at 20°C room temperature



IGUANA VISIO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
51.9	30	10.5	15.5	6.7	11.7
62.5	40	11.0	16.0	6.2	11.2
73.3	50	12.5	17.5	7.7	12.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%


Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection:
connection sets 41, 42, 48 or 49.
Max. 2 radiators per heating ring.



CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL



CODE.PW3.PS.1...

set 41

CHROME



CODE.PW3.AW.1...



CODE.PW3.AC.1...

fill in sleeve coupling code

Precision metal tube 15/1 **115**

Precision metal tube 16/1 **116**

Precision metal tube 18/1 **118**

RPE/ALU tube 16/2 **316**


RPE/ALU tube 18/2 **318**

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail in chrome-plated aluminium



Hot rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator
Towel rail		
9087.023550	55	51
9087.023656	66	62-73



IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

VISIO

code	height	length	colour	conn.
VISW .	180	051 .	XXX	/MM
fill in colour code —				

	Watts 75/65	Watts 55/45
L H 180		
051	719	357
062	1007	502
073	1294	645
L H 200		
051	751	376
062	1051	526
073	1352	676
L H 220		
051	780	391
062	1092	548
073	1404	705



IGUANA VISIO

VISIO PLUS

code	height	length	colour	conn.
VIPW .	180	051 .	XXX	/MM
fill in colour code —				

	Watts 75/65	Watts 55/45
L H 180		
051	908	447
062	1271	625
073	1634	804
L H 200		
051	978	484
062	1369	677
073	1760	871
L H 220		
051	1042	518
062	1459	725
073	1876	932



EN442 output at 20°C room temperature

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

Jaga reserves the right to change product specification at any time in line with our policy of continuous improvement and innovation.