


jaga
CLIMATE DESIGNERS

Heating 

IGUANA ANGULA PLUS



jaga

CLIMATE DESIGNERS

IGUANA ANGULA PLUS

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

A radiator around the corner. Great capacity in a small space. A special solution, both energy-wise and aesthetically!



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
Best Product 1999

IGUANA ANGULA traffic white 333





IGUANA ANGULA PLUS




IGUANA ANGULA PLUS




DIMENSIONS (in cm)



ANGULA PLUS / CR



ANGULA PLUS / CL



L	A	B	C	E
40.0	10.5	29.0	10.0	21.0
45.5	13.0	34.5	15.5	26.5
51.0	16.0	40.0	21.0	32.0

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- 2 side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection: connection sets 41, 42, 48 or 49.
Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48

BRUSHED STAINLESS STEEL



CODE.PW3.PS.1...

set 41

CHROME



CODE.PW3.AW.1...



CODE.PW3.AC.1...

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information



IGUANA ANGULA PLUS

code	height	length	colour	conn.	corner
ANPW .	180	040 .	XXX /MM /XX		
fill in colour code —┐					CL or CR —┘

	Watts	Watts
	75/65	55/45
L H 180		
040	1745	866
046	2078	1032
051	2410	1196
L H 192		
040	1823	911
046	2170	1084
051	2517	1257
L H 220		
040	1978	1002
046	2355	1193
051	2732	1385
L H 240		
040	2066	1058
046	2460	1260
051	2854	1461

EN442 output at 20°C room temperature

NOTES

NOTES

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

Jaga reserves the right to change product specification at any time in line with our policy of continuous improvement and innovation.