


jaga

CLIMATE DESIGNERS

Heating 

KNOCKONWOOD € 2022.EX



€.EX 08/2022

jaga

CLIMATE DESIGNERS

KNOCKONWOOD

Warm power, noble wood

- Subtle, timeless design, curved one piece wooden mantle with a high-grade veneer finish.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Suitable for an integrated valve and concealed connection.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.



design award
winner






KNOCKONWOOD



DIMENSIONS (in cm)



DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. Standard delivery:

- Low-H₂O heat exchanger with wall brackets, fixing kit, extended air vent 1/8" and drain plug 1/2"
- casing in one piece with wooden cover in plywood with high-grade veneer and metal side panels in sandblast grey (001)
- cover plate in stainless steel effect for the side panel at the opposite end from the valve

WOOD FINISHES

The wooden casing is finished with a scratch-resistant polyurethane varnish, satin mat, gloss degree 40%. High UV resistance.


Available from stock in height 055 and lengths from 060 to 140



CONNECTION

Standard connection:
 Bottom end left or right, to the wall or to the floor. Connection to the wall via the bottom of the casing, or totally concealed within the casing, depending on the valve or connection set chosen.

Optional high level valve:
 add to the code of the radiator /30 (left) or /60 (right)
 Ex. KNOW.030 060 06.xxx/60
 High level valve details : see "Connection sets & Valves".




Optional remote controlled valve:
 add to the code of the radiator /00.
 Ex. KNOW.030 060 06.xxx/00
 For valve set prices see chapter "Connection sets & valves"

CONNECTION SETS

To the wall, totally concealed within the casing

TRV head and sleeve couplings Eurocone 3/4" included.



set 225

CODE 2-PIPE €

COLO.SW2.AW.4... 76

COLO.SW2.JW.4... 82

fill in sleeve coupling code	
Precision metal tube 15/1	115
Precision metal tube 16/1	116
RPE/ALU tube 16/2	616
RPE/ALU tube 20/2	620

Other connections:

See chapter "Connection sets and valves" for all connection options and technical information

ORDERING CODE

code	height	length	type	colour
KNOW .	055	060	10 .	XXX
fill in type of wood				



KNOCKONWOOD

STANDARD RANGE

KNOW.HHH LLL TT.XXX

	STANDARD				TWIN			
	Type	Watts	Watts	€	Type	Watts	Watts	€
		75/65	55/45			75/65	55/45	
L	H 055							
060	10	660	319	796	11	718	333	902
	15	1001	488	847	16	1063	495	975
080	10	880	425	886	11	958	444	1015
	15	1335	651	950	16	1418	660	1111
100	10	1100	532	1025	11	1197	555	1173
	15	1669	814	1110	16	1772	825	1299
120	10	1320	638	1197	11	1436	666	1361
	15	2003	977	1295	16	2126	989	1505
140	10	1540	744	1346	11	1676	777	1523
	15	2337	1140	1454	16	2481	1155	1687

AVAILABLE ON REQUEST

Other wood finishes:



760 Maple natural



720 Beech natural



701 Oak bleached



721 Beech bleached



710 Mahogany



702 Oak wenge-colour



780 Walnut

Other dimensions:

Height 030 and 090cm. Length 180 and 220 cm



Not available per piece! For your personalized offer
tel. 0032 11 29 41 12

EN442 output at 20°C room temperature

NOTES

NOTES

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from August 1, 2022.
Replaces all existing price lists.