

# jaga

CLIMATE DESIGNERS

Heating 

MINI WALL € 2022.EX



# jaga

CLIMATE DESIGNERS

## MINI WALL

Strikingly discrete

- Extremely suited to spaces with large windows and for dwarf walls under window seats.
- Heights from 8cm
- Beautiful in combination with the free-standing Mini for glazed façades.
- Stable one-piece casing.
- Low-H<sub>2</sub>O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.

Also available as freestanding model for glazed façades. See page 136.

MINI WALL sandblast grey (001)





MINI WALL




# MINI WALL MOUNTED MODEL




## DIMENSIONS (in cm)


### HEIGHT 008 (opposite end connections)



### HEIGHT 013




### HEIGHT 023 / 028



Also available as freestanding model for glazed façades. See page 136.

### ORDERING CODE

code	height	length	type	colour
MINW .	008	060	09 .	XXX
<i>fill in colour code</i>				



## DELIVERY


- Easy to install by one person.
- Standard delivery:
  - Low-H<sub>2</sub>O heat exchanger, air vent 1/8" and drain plug 1/2"
  - casing in one piece for connection left or right
  - wall brackets in the same colour as the casing

## COLOURS

- Environmentally friendly, scratch-resistant, high UV resistant powder coating.
- Standard colours:
- traffic white RAL 9016 (133), soft touch lightly structured satin lacquer
  - sandblast grey (001), fine texture metallic lacquer
  - off-black RAL 7021 (145) Soft touch: finely textured matte look, gloss degree < 10%
- Other colours: see colour chart.

## CONNECTION

Standard connection:  
 Height 008: opposite end connection, flow left or right  
 Other heights: same end connection, left or right connection.



It is not possible to connect to the wall from inside the casing, as the casing includes a closed rear panel.

## CONNECTION SETS

### Mini height 013/023/028


**Connection to the floor:**  
 use set 104 (see page 318)

**Connection to the wall:**  
 Jaga H-valve for one or two pipe  
 TRV head and sleeve couplings Eurocone 3/4" included.

### Mini height 008

**Connection to the floor:**  
 use set 222 (see page 325).

**Connection to the wall:**  
 use set 25 (see page 328) and  
 1 angle 90° M24xM24 (see page 334).



set 103

CODE 1-PIPE/2-PIPE €

COLO.HBSW.AW.4... 91

COLO.HBSW.JW.4... 99

*fill in sleeve coupling code*

Precision metal tube 15/1 115

Precision metal tube 16/1 116

RPE/ALU tube 16/2 616

RPE/ALU tube 20/2 620

### Other connections:

See chapter "Connection sets and valves Low-H<sub>2</sub>O" for all connection options and technical information

# MINI WALL

MINW.HHH LLL TT.XXX

	Type	Watts	Watts	€	€	Type	Watts	Watts	€	€	Type	Watts	Watts	€	€	Type	Watts	Watts	€	€
	75/65	55/45	st. colour	other	75/65	55/45	st. colour	other	75/65	55/45	st. colour	other	75/65	55/45	st. colour	other	75/65	55/45	st. colour	other
<b>L H 008</b>					<b>H 013</b>				<b>H 023</b>				<b>H 028</b>							
060	---	---	---	---	05	197	95	234	336	06	323	156	371	473	06	342	166	410	512	
09	255	123	230	332	10	303	146	270	372	11	601	285	408	510	11	653	310	448	550	
14	416	200	270	372	15	508	244	317	419	16	785	370	482	584	16	860	405	524	626	
19	572	275	298	400	20	717	345	354	456	21	1021	479	507	609	21	1127	528	552	654	
070	---	---	---	---	05	230	111	252	354	06	377	182	403	505	06	399	193	442	544	
09	298	143	246	348	10	354	170	292	394	11	701	333	446	548	11	762	362	486	588	
14	486	234	291	393	15	593	285	347	449	16	916	432	532	634	16	1003	473	576	678	
19	667	321	327	429	20	837	403	391	493	21	1191	559	565	667	21	1315	616	609	711	
080	---	---	---	---	05	263	127	261	363	06	431	208	420	522	06	456	221	458	560	
09	340	163	257	359	10	404	194	303	405	11	802	381	465	567	11	871	414	506	608	
14	555	267	303	405	15	678	326	362	464	16	1046	494	559	661	16	1146	540	604	706	
19	762	366	342	444	20	956	460	411	513	21	1361	639	596	698	21	1503	704	643	745	
090	---	---	---	---	05	296	143	270	372	06	485	234	433	535	06	513	248	474	576	
09	383	184	266	368	10	455	219	313	415	11	902	428	482	584	11	980	465	524	626	
14	625	300	316	418	15	762	367	378	480	16	1177	555	586	688	16	1290	608	629	731	
19	858	412	356	458	20	1076	518	431	532	21	1531	719	626	728	21	1691	792	672	774	
100	---	---	---	---	05	329	158	282	444	06	539	260	460	622	06	570	276	500	662	
09	425	204	279	441	10	505	243	333	495	11	1002	476	513	675	11	1089	517	557	719	
14	694	333	336	498	15	847	407	402	564	16	1308	617	627	789	16	1433	676	673	835	
19	953	458	383	545	20	1195	575	464	626	21	1701	799	676	838	21	1879	880	722	884	
110	---	---	---	---	05	362	174	296	458	06	593	286	482	644	06	627	304	522	684	
09	468	225	292	454	10	556	267	348	510	11	1102	523	539	701	11	1198	569	582	744	
14	763	367	352	514	15	932	448	423	585	16	1439	679	662	824	16	1576	743	708	870	
19	1048	504	403	565	20	1315	633	489	651	21	1871	878	717	879	21	2067	968	764	926	
120	---	---	---	---	05	395	190	312	474	06	647	312	504	666	06	684	331	546	708	
09	510	245	308	470	10	606	291	366	528	11	1202	571	565	727	11	1307	621	609	771	
14	833	400	370	532	15	1016	489	446	608	16	1570	741	696	858	16	1720	811	743	905	
19	1144	550	426	588	20	1434	690	519	681	21	2041	958	756	918	21	2255	1056	805	967	
140	---	---	---	---	05	461	222	338	500	06	755	364	550	712	06	798	386	596	758	
09	595	286	333	495	10	707	340	397	559	11	1403	666	617	779	11	1525	724	665	827	
14	972	467	404	566	15	1186	570	487	649	16	1831	864	764	926	16	2006	946	817	979	
19	1334	641	487	649	20	1673	805	597	759	21	2381	1118	878	1040	21	2631	1233	932	1094	
160	---	---	---	---	05	526	253	403	565	06	862	416	652	814	06	912	442	706	868	
09	680	327	395	557	10	808	388	475	637	11	1603	761	732	894	11	1742	827	790	952	
14	1110	533	482	644	15	1355	652	583	745	16	2093	988	912	1074	16	2293	1081	972	1134	
19	1525	733	581	743	20	1912	920	713	875	21	2722	1278	1047	1209	21	3006	1408	1110	1272	
180	---	---	---	---	05	592	285	461	623	06	970	468	730	892	06	1026	497	790	952	
09	765	368	452	614	10	909	437	538	700	11	1804	857	817	979	11	1960	931	878	1040	
14	1249	600	544	706	15	1525	734	656	818	16	2354	1111	1017	1179	16	2579	1216	1080	1242	
19	1715	824	654	816	20	2151	1035	799	961	21	3062	1438	1164	1326	21	3382	1584	1231	1393	
200	---	---	---	---	05	658	317	499	781	06	1078	520	790	1072	06	1140	552	854	1136	
09	850	408	489	771	10	1010	485	583	865	11	2004	952	884	1166	11	2178	1034	951	1233	
14	1388	667	613	895	15	1694	815	740	1022	16	2616	1234	1151	1433	16	2866	1351	1222	1504	
19	1906	916	709	991	20	2390	1150	867	1149	21	3402	1597	1260	1542	21	3758	1761	1335	1617	
220	---	---	---	---	05	724	349	586	868	06	1186	572	916	1198	06	1254	607	991	1273	
09	935	449	573	855	10	1111	534	681	963	11	2204	1047	1025	1307	11	2396	1138	1103	1385	
14	1527	734	712	994	15	1863	896	864	1146	16	2878	1358	1334	1616	16	3153	1486	1416	1698	
19	2097	1008	826	1108	20	2629	1265	1012	1294	21	3742	1757	1464	1746	21	4134	1937	1551	1833	
240	---	---	---	---	05	790	381	624	906	06	1294	624	975	1257	06	1368	662	1055	1337	
09	1020	490	609	891	10	1212	582	726	1008	11	2405	1142	1092	1374	11	2614	1241	1175	1457	
14	1666	801	758	1040	15	2033	978	920	1202	16	3139	1481	1421	1703	16	3439	1621	1508	1790	
19	2287	1099	880	1162	20	2868	1380	1079	1361	21	4082	1916	1565	1847	21	4510	2113	1655	1937	
260	---	---	---	---	05	855	412	660	942	06	1401	676	1033	1315	06	1482	718	1116	1398	
09	1105	531	645	927	10	1313	631	771	1053	11	2605	1237	1157	1439	11	2831	1344	1246	1528	
14	1804	867	802	1084	15	2202	1059	975	1257	16	3401	1605	1507	1789	16	3726	1756	1601	1883	
19	2478	1191	935	1217	20	3107	1495	1148	1430	21	4423	2076	1664	1946	21	4885	2289	1760	2042	

Mini wall mounted model is also available in lengths 280 and 300 cm, see: [www.jaga.com](http://www.jaga.com)

EN442 output at 20°C room temperature





**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from August 1, 2022.  
Replaces all existing price lists.