

PANEL PLUS HORIZONTAL € 2021.EX

jaga

CLIMATE DESIGNERS

PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 112.
Freestanding version: see p. 156.

PANEL PLUS HORIZONTAL sandblast grey 001





PANEL PLUS HORIZONTAL




PANEL PLUS HORIZONTAL

DIMENSIONS (in cm)

- standard connection
- variant

Vertical version: see p. 112.
Freestanding version: see p. 156.



DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic

Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
 - one-sided: code 32 or 67 instead of 18
 - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.

CONNECTION SETS

Example showing connection set to the wall

Jaga Deco double angled

TRV head and sleeve couplings included.



set 35	To the wall	€
	CODE.JH2.AC.1...	177,00

<i>fill in sleeve coupling code</i>	
Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information

PANEL PLUS HORIZONTAL

code height length type colour conn.
PPHW . 018 100 11 . XXX /18 /GR
 fill in colour code _____

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 018				
060	---	---	---	---
080	---	---	---	---
100	11 389	204	343,00	411,00
	22 626	312	641,00	769,00
120	11 466	244	378,00	454,00
	22 751	374	702,00	844,00
140	11 544	285	415,00	497,00
	22 876	436	766,00	919,00
160	11 622	326	452,00	543,00
	22 1001	498	832,00	998,00
180	11 699	367	489,00	587,00
	22 1126	561	893,00	1072,00
200	11 777	408	524,00	628,00
	22 1252	623	954,00	1144,00
220	11 855	449	560,00	673,00
	22 1377	686	1018,00	1222,00
240	11 932	489	595,00	714,00
	22 1502	748	1077,00	1294,00
260	11 1010	530	633,00	759,00
	22 1627	810	1143,00	1373,00
280	11 1088	571	668,00	802,00
	22 1752	872	1205,00	1446,00
300	11 1166	612	706,00	847,00
	22 1877	935	1268,00	1521,00
L H 037				
060	11 380	199	402,00	483,00
	22 659	328	786,00	943,00
080	11 507	266	459,00	552,00
	22 879	438	891,00	1069,00
100	11 633	332	517,00	620,00
	22 1098	547	997,00	1197,00
120	11 760	399	574,00	690,00
	22 1318	656	1102,00	1321,00
140	11 887	465	630,00	756,00
	22 1538	766	1205,00	1447,00
160	11 1013	531	687,00	825,00
	22 1757	875	1312,00	1575,00
180	11 1140	598	744,00	892,00
	22 1977	984	1415,00	1698,00
200	11 1267	665	801,00	961,00
	22 2197	1094	1520,00	1825,00
220	11 1394	731	857,00	1029,00
	22 2416	1203	1624,00	1949,00
240	11 1520	797	915,00	1097,00
	22 2636	1313	1729,00	2075,00
260	11 1647	864	970,00	1166,00
	22 2856	1422	1833,00	2200,00
280	11 1774	931	1027,00	1233,00
	22 3075	1531	1936,00	2324,00
300	11 1900	997	1084,00	1300,00
	22 3295	1641	2039,00	2447,00

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 024				
060	11 285	150	302,00	361,00
	22 477	238	580,00	696,00
080	11 380	199	344,00	412,00
	22 636	317	655,00	785,00
100	11 475	249	385,00	462,00
	22 794	395	729,00	876,00
120	11 570	299	424,00	509,00
	22 953	475	797,00	956,00
140	11 665	349	462,00	556,00
	22 1112	554	864,00	1037,00
160	11 760	399	504,00	606,00
	22 1271	633	936,00	1125,00
180	11 855	449	543,00	651,00
	22 1430	712	1004,00	1206,00
200	11 950	498	581,00	698,00
	22 1589	791	1072,00	1286,00
220	11 1045	548	621,00	745,00
	22 1748	870	1140,00	1369,00
240	11 1140	598	661,00	792,00
	22 1907	950	1210,00	1452,00
260	11 1235	648	699,00	839,00
	22 2065	1028	1279,00	1536,00
280	11 1330	698	739,00	886,00
	22 2224	1107	1347,00	1617,00
300	11 1425	748	778,00	932,00
	22 2383	1187	1414,00	1697,00
L H 043				
060	11 425	223	452,00	542,00
	22 742	369	887,00	1064,00
080	11 566	297	518,00	621,00
	22 989	492	1009,00	1210,00
100	11 708	371	581,00	698,00
	22 1236	615	1131,00	1357,00
120	11 849	445	648,00	778,00
	22 1483	738	1254,00	1506,00
140	11 991	520	713,00	856,00
	22 1730	861	1376,00	1652,00
160	11 1132	594	780,00	934,00
	22 1978	985	1499,00	1798,00
180	11 1274	668	846,00	1016,00
	22 2225	1108	1623,00	1948,00
200	11 1415	742	912,00	1094,00
	22 2472	1231	1744,00	2093,00
220	11 1557	817	976,00	1171,00
	22 2719	1354	1866,00	2238,00
240	11 1698	891	1041,00	1250,00
	22 2966	1477	1990,00	2389,00
260	11 1840	965	1107,00	1330,00
	22 3214	1600	2112,00	2535,00
280	11 1981	1039	1174,00	1410,00
	22 3461	1723	2236,00	2684,00
300	11 2123	1114	1241,00	1489,00
	22 3708	1846	2362,00	2834,00

Type	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 031				
060	11 334	175	351,00	421,00
	22 571	284	680,00	817,00
080	11 445	233	401,00	482,00
	22 761	379	773,00	927,00
100	11 556	292	450,00	540,00
	22 951	474	862,00	1034,00
120	11 668	350	495,00	594,00
	22 1142	569	942,00	1131,00
140	11 779	409	547,00	657,00
	22 1332	663	1037,00	1244,00
160	11 890	467	594,00	714,00
	22 1522	758	1122,00	1346,00
180	11 1001	525	643,00	771,00
	22 1713	853	1209,00	1451,00
200	11 1113	584	691,00	828,00
	22 1903	948	1296,00	1554,00
220	11 1224	642	737,00	886,00
	22 2093	1042	1381,00	1657,00
240	11 1335	700	787,00	945,00
	22 2283	1137	1469,00	1762,00
260	11 1446	759	836,00	1003,00
	22 2474	1232	1558,00	1869,00
280	11 1558	817	887,00	1064,00
	22 2664	1327	1651,00	1981,00
300	11 1669	876	936,00	1125,00
	22 2854	1421	1740,00	2088,00
L H 050				
060	11 468	246	503,00	604,00
	22 819	408	991,00	1190,00
080	11 624	327	577,00	692,00
	22 1092	544	1130,00	1355,00
100	11 780	409	649,00	779,00
	22 1365	680	1267,00	1519,00
120	11 936	491	723,00	869,00
	22 1638	816	1407,00	1689,00
140	11 1091	572	797,00	957,00
	22 1911	952	1547,00	1857,00
160	11 1247	654	872,00	1048,00
	22 2185	1088	1688,00	2025,00
180	11 1403	736	946,00	1135,00
	22 2458	1224	1827,00	2192,00
200	11 1559	818	1021,00	1225,00
	22 2731	1360	1969,00	2363,00
220	11 1715	900	1094,00	1312,00
	22 3004	1496	2107,00	2528,00
240	11 1871	982	1170,00	1404,00
	22 3277	1632	2251,00	2700,00
260	11 2027	1063	1244,00	1494,00
	22 3550	1768	2392,00	2870,00
280	11 2183	1145	1318,00	1583,00
	22 3823	1904	2531,00	3036,00
300	11 2339	1227	1392,00	1671,00
	22 4096	2040	2668,00	3203,00

EN442 output at 20°C room temperature

PANEL PLUS HORIZONTAL

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
L H 056					
060	11	510	268	553,00	663,00
	22	892	444	1094,00	1312,00
080	11	680	357	634,00	762,00
	22	1190	593	1248,00	1498,00
100	11	850	446	714,00	856,00
	22	1487	740	1400,00	1679,00
120	11	1020	535	798,00	958,00
	22	1784	888	1560,00	1873,00
140	11	1190	624	881,00	1057,00
	22	2082	1037	1717,00	2059,00
160	11	1360	714	964,00	1157,00
	22	2379	1185	1875,00	2251,00
180	11	1530	803	1046,00	1257,00
	22	2676	1333	2032,00	2440,00
200	11	1700	892	1131,00	1357,00
	22	2974	1481	2193,00	2631,00
220	11	1870	981	1213,00	1456,00
	22	3271	1629	2350,00	2821,00
240	11	2040	1070	1297,00	1556,00
	22	3569	1777	2508,00	3009,00
260	11	2210	1159	1379,00	1655,00
	22	3866	1925	2666,00	3199,00
280	11	2380	1249	1461,00	1754,00
	22	4163	2073	2821,00	3386,00
300	11	2549	1337	1544,00	1852,00
	22	4461	2221	2978,00	3574,00

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
L H 069					
060	11	592	310	644,00	774,00
	22	1025	510	1280,00	1536,00
080	11	789	414	735,00	883,00
	22	1367	681	1455,00	1746,00
100	11	986	517	828,00	995,00
	22	1709	851	1633,00	1959,00
120	11	1183	620	924,00	1109,00
	22	2051	1021	1818,00	2182,00
140	11	1381	724	1022,00	1226,00
	22	2392	1191	2004,00	2405,00
160	11	1578	827	1120,00	1343,00
	22	2734	1361	2193,00	2632,00
180	11	1775	931	1215,00	1460,00
	22	3076	1532	2378,00	2855,00
200	11	1972	1034	1314,00	1577,00
	22	3418	1702	2567,00	3080,00
220	11	2169	1137	1412,00	1694,00
	22	3760	1872	2755,00	3305,00
240	11	2367	1241	1509,00	1810,00
	22	4101	2042	2941,00	3529,00
260	11	2564	1344	1607,00	1929,00
	22	4443	2212	3130,00	3755,00
280	11	2761	1448	1703,00	2044,00
	22	4785	2383	3315,00	3977,00
300	11	2958	1551	1800,00	2161,00
	22	5127	2553	3503,00	4203,00

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
L H 081					
060	11	671	352	722,00	867,00
	22	1143	569	1440,00	1727,00
080	11	895	469	821,00	986,00
	22	1524	759	1630,00	1956,00
100	11	1119	587	922,00	1105,00
	22	1905	949	1824,00	2188,00
120	11	1342	704	1029,00	1234,00
	22	2286	1139	2030,00	2437,00
140	11	1566	821	1135,00	1363,00
	22	2667	1329	2236,00	2684,00
160	11	1790	939	1242,00	1490,00
	22	3048	1519	2443,00	2931,00
180	11	2013	1056	1348,00	1618,00
	22	3430	1709	2649,00	3180,00
200	11	2237	1173	1456,00	1748,00
	22	3811	1899	2857,00	3429,00
220	11	2461	1290	1564,00	1877,00
	22	4192	2089	3066,00	3679,00
240	11	2684	1407	1670,00	2004,00
	22	4573	2278	3269,00	3924,00
260	11	2908	1525	1778,00	2133,00
	22	4954	2468	3478,00	4175,00
280	11	3132	1642	1883,00	2261,00
	22	5335	2658	3683,00	4421,00
300	11	3356	1760	1992,00	2391,00
	22	5716	2848	3892,00	4671,00

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see: www.jaga.com

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from July 1, 2021.
Replaces all existing price lists.