


jaga

CLIMATE DESIGNERS

Heating 

PLAY€ 2022.EX



jaga

CLIMATE DESIGNERS

PLAY

Playful warmth, colourful comfort

- Completely pre-assembled and mounted casing, consisting of painted MDF panels with aluminium spacer rings.
- Standard pencil-proof grille, to prevent small objects or waste falling into the casing.
- Optional protective base grille.
- Integrated valve with thermostat in the front panel.
- Connections can be completely concealed within the casing.
- Low-H₂O technology with super conductive and ultra fast heat exchanger for low energy consumption and maximum heat emission.
- Twin Power for better compensation of the downward cold air flow next to glazed façades or ventilation grilles.
- Safe surface temperature.
- **A 30 year guarantee** on the heat exchanger.




PLAY PIANO





PLAY

DIMENSIONS (in cm)



DELIVERY

Delivered in a cardboard box, which can also be used as protection on site after installation. standard delivery:

- Low-H₂O heat exchanger with wall brackets and fixing kit, air vent 1/8" and drain plug 1/2"
- one piece casing, completely mounted, consisting of lacquered MDF panels with anodised aluminium spacer rings
- premounted and integrated control in the front panel in the top right hand corner, included valve and sleeve couplings for connection to the wall or to the floor
- pencil-proof grille

COLOURS

Scratch resistant polyurethane finish with a soft structured mat surface. High UV resistance.

Category 1



WHI Play White

Category 2



BLA Play Black **PIA** Play Piano




BOY Play4Boy **GIR** Play4Girl

ORDERING CODE

Connection to the wall
within the casing

code height length type colour conn.
PLAW. 035 060 10 .XXX /WR /TIB /...

Enter colour code
To the wall, right /WR
To the wall, left /WL
Always 2-Pipe /TIB
Fill in sleeve coupling code: see p. 329




CREATE YOUR OWN COLOURS OR CREATE YOUR OWN PRINT

Design your own colour combination or print on the front panel. For more info go to: export@jaga.be



BASE GRILLE



Screens the bottom of the casing. Colour black (RAL 9005)

	code	length	type	model
ORDERING CODE	5641.000	060	10	/PLA
	Type 10/11	15/16	20/21	
L	€	€	€	
060	37	40	41	
080	39	43	44	
100	41	47	49	
120	44	51	58	

	STANDARD					TWIN				
	Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2	Type	Watts 75/65	Watts 55/45	€ cat. 1	€ cat. 2
L H 035										
060	10	529	259	940	1042	11	583	277	1038	1140
	15	805	397	1050	1152	16	870	409	1171	1273
	20	1104	547	1152	1254	21	1217	568	1261	1363
080	10	705	346	1009	1111	11	777	369	1131	1233
	15	1074	529	1129	1231	16	1160	546	1278	1380
	20	1472	729	1251	1353	21	1622	756	1388	1490
100	10	881	432	1065	1227	11	971	461	1199	1361
	15	1342	661	1198	1360	16	1450	682	1371	1533
	20	1840	911	1336	1498	21	2028	946	1495	1657
120	10	1057	518	1124	1286	11	1165	553	1277	1439
	15	1610	793	1275	1437	16	1740	819	1475	1637
	20	2208	1093	1428	1590	21	2434	1135	1617	1779
L H 050										
060	10	591	287	993	1095	11	685	324	1094	1196
	15	925	452	1106	1208	16	1040	489	1224	1326
	20	1284	632	1218	1320	21	1461	683	1327	1429
080	10	788	383	1066	1168	11	913	432	1188	1290
	15	1234	603	1194	1296	16	1386	652	1346	1448
	20	1712	842	1328	1430	21	1948	911	1466	1568
100	10	985	479	1127	1289	11	1141	540	1262	1424
	15	1542	754	1272	1434	16	1733	815	1445	1607
	20	2140	1053	1418	1580	21	2435	1138	1577	1739
120	10	1182	574	1190	1352	11	1369	647	1344	1506
	15	1850	905	1351	1513	16	2080	978	1552	1714
	20	2568	1264	1517	1679	21	2922	1366	1705	1867
L H 065										
060	10	653	315	1061	1163	11	778	366	1160	1262
	15	1040	505	1182	1284	16	1187	558	1301	1403
	20	1454	711	1303	1405	21	1663	780	1412	1514
080	10	870	419	1130	1232	11	1037	488	1251	1353
	15	1386	673	1267	1369	16	1582	743	1418	1520
	20	1938	948	1410	1512	21	2218	1040	1548	1650
100	10	1088	524	1189	1351	11	1296	610	1324	1486
	15	1733	841	1343	1505	16	1978	929	1515	1677
	20	2423	1185	1499	1661	21	2772	1299	1658	1820
120	10	1306	629	1257	1419	11	1555	732	1411	1573
	15	2080	1010	1428	1590	16	2374	1115	1629	1791
	20	2908	1422	1602	1764	21	3326	1559	1792	1954

EN442 output at 20°C room temperature



NOTES

jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from August 1, 2022.
Replaces all existing price lists.