

# jaga

CLIMATE DESIGNERS

Heating



IGUANA APLANO € 2024.EX



€.EX 01/2024

# jaga

CLIMATE DESIGNERS

## IGUANA APLANO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Aplano the slim triangular radiant pipes are placed alongside each other in a flat plane. Elegant simplicity with a frivolous touch.

Also available as "Plus" version for low flow temperatures.



Top 10  
Design  
Award  
Winner  
2000

ISH 1999  
DESIGN PLUS  
Dachau, Munich, 1999

### IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

#### IGUANA APLANO

traffic white 333, optional towel rail






IGUANA APLANO

# IGUANA APLANO

**DIMENSIONS** (in cm)



## APLANO APLANO PLUS



| L  | C  |
|----|----|
| 30 | 16 |
| 41 | 27 |
| 52 | 38 |
| 63 | 49 |
| 74 | 60 |
| 85 | 71 |

### DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

### COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.


### CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.

One pipe connection:

connection sets 41, 42, 48 or 49.  
Max. 2 radiators per heating ring.



### CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

#### Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.




|                                     |                                |     |
|-------------------------------------|--------------------------------|-----|
| <b>set 48</b>                       | <b>BRUSHED STAINLESS STEEL</b> | €   |
|                                     | CODE.PW3.PS.1...               | 311 |
| <b>set 41</b>                       | <b>CHROME</b>                  | €   |
|                                     | CODE.PW3.AW.1...               | 131 |
|                                     | CODE.PW3.AC.1...               | 148 |
| <i>fill in sleeve coupling code</i> |                                |     |
|                                     | Precision metal tube 15/1      | 115 |
|                                     | Precision metal tube 16/1      | 116 |
|                                     | Precision metal tube 18/1      | 118 |
|                                     | RPE/ALU tube 16/2              | 316 |
|                                     | RPE/ALU tube 18/2              | 318 |

#### Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information


### OPTIONS

#### Towel rail in chrome-plated aluminium



*Hat rack consists of a towel rail and 5 coat hooks*

| CODE              | L  | L radiator     | €   |
|-------------------|----|----------------|-----|
| <b>Towel rail</b> |    |                |     |
| 9087.033560       | 56 | 41-52-63-74-85 | 299 |
| 9087.033660       | 66 | 63-74-85       | 299 |



## APLANO

code height length colour conn.  
APLW . 180 030 . XXX /MM  
fill in colour code —

|                | Watts<br>75/65 | Watts<br>55/45 | €<br>st. colour | €<br>other |
|----------------|----------------|----------------|-----------------|------------|
| <b>L H 180</b> |                |                |                 |            |
| 030            | 700            | 349            | 662             | 793        |
| 041            | 954            | 476            | 862             | 1034       |
| 052            | 1208           | 603            | 1068            | 1280       |
| 063            | 1463           | 730            | 1268            | 1522       |
| 074            | 1717           | 857            | 1470            | 1764       |
| 085            | 1972           | 984            | 1672            | 2008       |
| <b>L H 192</b> |                |                |                 |            |
| 030            | 733            | 366            | 687             | 825        |
| 041            | 999            | 499            | 897             | 1077       |
| 052            | 1265           | 632            | 1108            | 1329       |
| 063            | 1532           | 766            | 1320            | 1583       |
| 074            | 1798           | 899            | 1529            | 1834       |
| 085            | 2065           | 1032           | 1741            | 2088       |
| <b>L H 200</b> |                |                |                 |            |
| 030            | 754            | 377            | 702             | 843        |
| 041            | 1028           | 515            | 919             | 1105       |
| 052            | 1302           | 652            | 1136            | 1364       |
| 063            | 1576           | 789            | 1350            | 1622       |
| 074            | 1850           | 926            | 1569            | 1883       |
| 085            | 2124           | 1063           | 1786            | 2143       |
| <b>L H 220</b> |                |                |                 |            |
| 030            | 804            | 403            | 742             | 891        |
| 041            | 1097           | 551            | 973             | 1168       |
| 052            | 1389           | 697            | 1205            | 1445       |
| 063            | 1681           | 844            | 1438            | 1725       |
| 074            | 1974           | 991            | 1670            | 2001       |
| 085            | 2266           | 1137           | 1902            | 2281       |
| <b>L H 240</b> |                |                |                 |            |
| 030            | 851            | 428            | 782             | 940        |
| 041            | 1161           | 584            | 1029            | 1236       |
| 052            | 1471           | 740            | 1277            | 1529       |
| 063            | 1780           | 896            | 1522            | 1826       |
| 074            | 2090           | 1052           | 1770            | 2122       |
| 085            | 2399           | 1208           | 2015            | 2417       |


## IGUANA APLANO

### APLANO PLUS

code height length colour conn.  
APPW . 180 030 . XXX /MM  
fill in colour code —

|                | Watts<br>75/65 | Watts<br>55/45 | €<br>st. colour | €<br>other |
|----------------|----------------|----------------|-----------------|------------|
| <b>L H 180</b> |                |                |                 |            |
| 030            | 964            | 461            | 859             | 1030       |
| 041            | 1314           | 628            | 1121            | 1346       |
| 052            | 1664           | 795            | 1385            | 1662       |
| 063            | 2015           | 963            | 1649            | 1977       |
| 074            | 2365           | 1131           | 1910            | 2294       |
| 085            | 2716           | 1298           | 2175            | 2609       |
| <b>L H 192</b> |                |                |                 |            |
| 030            | 997            | 476            | 893             | 1071       |
| 041            | 1359           | 649            | 1167            | 1400       |
| 052            | 1721           | 822            | 1440            | 1726       |
| 063            | 2084           | 996            | 1713            | 2057       |
| 074            | 2446           | 1169           | 1989            | 2387       |
| 085            | 2809           | 1342           | 2263            | 2715       |
| <b>L H 200</b> |                |                |                 |            |
| 030            | 1018           | 486            | 910             | 1095       |
| 041            | 1388           | 663            | 1195            | 1432       |
| 052            | 1758           | 840            | 1475            | 1774       |
| 063            | 2128           | 1017           | 1758            | 2109       |
| 074            | 2498           | 1194           | 2040            | 2450       |
| 085            | 2868           | 1370           | 2323            | 2788       |
| <b>L H 220</b> |                |                |                 |            |
| 030            | 1070           | 511            | 965             | 1158       |
| 041            | 1460           | 697            | 1265            | 1518       |
| 052            | 1849           | 883            | 1567            | 1881       |
| 063            | 2238           | 1069           | 1870            | 2242       |
| 074            | 2627           | 1255           | 2169            | 2604       |
| 085            | 3016           | 1440           | 2472            | 2966       |
| <b>L H 240</b> |                |                |                 |            |
| 030            | 1121           | 535            | 1017            | 1219       |
| 041            | 1529           | 729            | 1337            | 1606       |
| 052            | 1936           | 924            | 1657            | 1989       |
| 063            | 2344           | 1118           | 1977            | 2374       |
| 074            | 2751           | 1312           | 2300            | 2760       |
| 085            | 3159           | 1507           | 2621            | 3144       |

EN442 output at 20°C room temperature



## NOTES

**NOTES**

**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
[export@jaga.com](mailto:export@jaga.com)

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from January 1, 2024.  
Replaces all existing price lists.