


jaga

CLIMATE DESIGNERS

Heating 

IGUANA ARCO & VISIO € 2024.EX



jaga

CLIMATE DESIGNERS

IGUANA ARCO & VISIO

Warmth with a symbolic value. Inspired by a child's drawing, an interpretation of the brightly shining sun, transformed into a fully functional work of art.

With the Iguana Arco and Visio the slim triangular radiant pipes are built with a slight curve, giving the Iguana a new look from any angle.

The Iguana Visio's many functions have been expanded by the addition of a mirror. Perfect for halls or bedrooms.

Also available as "Plus" version for low flow temperatures.



Top 10
Design
Award
Winner
2000

ISH 1999
DESIGN PLUS
DAILY HEATING NEWS

IGUANA VISIO aluminium 006, optional towel rail






IGUANA ARCO & VISIO

IGUANA ARCO

DIMENSIONS (in cm)



ARCO ARCO PLUS



L	C	D1	D2	E1	E2
29.8	10	10.1	14.1	4.1	8.1
41.0	20	11.1	16.1	5.1	10.1
51.9	30	12.7	17.7	6.7	11.7
62.5	40	12.2	17.2	6.2	11.2
73.3	50	13.7	18.7	7.7	12.7
83.9	60	15.7	20.7	9.7	14.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection:

connection sets 41, 42, 48 or 49.
Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.




set	DESCRIPTION	€
48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	311
41	CHROME	€
	CODE.PW3.AW.1...	131
	CODE.PW3.AC.1...	148
<i>fill in sleeve coupling code</i>		
	Precision metal tube 15/1	115
	Precision metal tube 16/1	116
	Precision metal tube 18/1	118
	RPE/ALU tube 16/2	316
	RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	41-51	299
9087.023656	66	62-73-83	299
Hat rack			
9087.024550	55	41-51	342
9087.024656	66	62-73-83	342



IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
Hat rack			
9087.024550	55	41-51	342
9087.024656	66	62-73-83	342



IGUANA ARCO

ARCO

code	height	length	colour	conn.
ARCW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	791	394	694	833
041	1079	538	906	1086
051	1366	681	1119	1344
062	1654	824	1333	1598
073	1941	967	1545	1854
083	2229	1111	1756	2107

	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	813	406	720	863
041	1109	554	943	1131
051	1404	701	1163	1394
062	1700	849	1384	1660
073	1995	996	1607	1928
083	2291	1144	1827	2194

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	826	413	738	883
041	1127	564	966	1159
051	1427	714	1194	1431
062	1727	864	1420	1704
073	2028	1014	1648	1976
083	2328	1164	1875	2251

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	858	431	780	935
041	1170	587	1023	1228
051	1482	744	1265	1519
062	1794	900	1511	1811
073	2106	1057	1754	2103
083	2418	1213	1996	2396

	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	886	446	821	988
041	1208	608	1079	1297
051	1530	770	1339	1608
062	1852	932	1598	1917
073	2174	1094	1858	2229
083	2496	1256	2115	2539

ARCO PLUS

code	height	length	colour	conn.
ARPW .	180	029 .	XXX	/MM
fill in colour code _____				

	Watts		€	€
	75/65	55/45	st. colour	other
L H 180				
029	999	492	903	1083
041	1362	670	1178	1415
051	1725	849	1456	1746
062	2088	1027	1733	2078
073	2452	1207	2008	2408
083	2815	1385	2283	2739

	Watts		€	€
	75/65	55/45	st. colour	other
L H 192				
029	1046	516	939	1124
041	1427	704	1226	1470
051	1807	892	1512	1813
062	2187	1080	1800	2161
073	2568	1268	2088	2506
083	2948	1455	2376	2852

	Watts		€	€
	75/65	55/45	st. colour	other
L H 200				
029	1076	532	958	1151
041	1467	726	1255	1506
051	1858	919	1551	1861
062	2249	1112	1846	2215
073	2641	1306	2141	2571
083	3032	1500	2438	2928

	Watts		€	€
	75/65	55/45	st. colour	other
L H 220				
029	1146	569	1014	1215
041	1563	777	1329	1595
051	1980	984	1644	1974
062	2397	1191	1963	2355
073	2813	1398	2278	2734
083	3230	1605	2594	3114


	Watts		€	€
	75/65	55/45	st. colour	other
L H 240				
029	1210	604	1069	1282
041	1650	824	1406	1686
051	2090	1043	1741	2090
062	2530	1263	2078	2493
073	2970	1483	2414	2898
083	3410	1702	2751	3299

EN442 output at 20°C room temperature



IGUANA VISIO

DIMENSIONS (in cm)



L	C	D1	D2	E1	E2
51.9	30	10.5	15.5	6.7	11.7
62.5	40	11.0	16.0	6.2	11.2
73.3	50	12.5	17.5	7.7	12.7

DELIVERY

- central connection MM underneath
- wall fixing
- 2 chrome-plated air vents G1/8"
- Iguana Plus is supplied with two side panels

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:


- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION

Top connection: specify code 45 or 54 instead of MM (1° number is flow).

No insert pipe should be ordered. Provide an air vent on the central heating pipework.



One pipe connection: connection sets 41, 42, 48 or 49. Max. 2 radiators per heating ring.

CONNECTION SETS

To guarantee the output of the Iguana models and to limit the pressure drop, Jaga recommends the use of 15/1 minimum diameter pipes.

Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	311
set 41	CHROME	€
	CODE.PW3.AW.1...	131
	CODE.PW3.AC.1...	148

fill in sleeve coupling code


Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

OPTIONS

Towel rail / hat rack in chrome-plated aluminium



Hat rack consists of a towel rail and 5 coat hooks

CODE	L	L radiator	€
Towel rail			
9087.023550	55	51	299
9087.023656	66	62-73	299
Hat rack			
9087.024550	55	51	342
9087.024656	66	62-73	342



IGUANA WITH TOWEL RACK:

combines functionality with a high heat efficiency.

CODE	L	L radiator	€
Hat rack			
9087.024550	55	41-51	342
9087.024656	66	62-73-83	342





40% more warmth

VISIO

code	height	length	colour	conn.
VISW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	719	357	963	1155
062	1007	502	1147	1378
073	1294	645	1317	1580
L H 200				
051	751	376	1021	1221
062	1051	526	1219	1466
073	1352	676	1404	1684
L H 220				
051	780	391	1078	1296
062	1092	548	1295	1553
073	1404	705	1488	1786

IGUANA VISIO

VISIO PLUS

code	height	length	colour	conn.
VIPW .	180	051 .	XXX	/MM
fill in colour code _____				

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
051	908	447	1251	1500
062	1271	625	1493	1789
073	1634	804	1712	2055
L H 200				
051	978	484	1327	1592
062	1369	677	1587	1905
073	1760	871	1824	2188
L H 220				
051	1042	518	1403	1684
062	1459	725	1682	2018
073	1876	932	1937	2324

EN442 output at 20°C room temperature



jaga
CLIMATE
DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.