

## PANEL PLUS HORIZONTAL € 2024.EX

# jaga

CLIMATE DESIGNERS

## PANEL PLUS HORIZONTAL

Elegant simplicity and power

Streamlined, elegant design. The compact style of the Panel Plus allows creative freedom to the designer and saves space too! The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model starting at a height of 6 cm! The robust design of the Panel Plus radiator with its hidden collectors provides an elegant simplicity that oozes quality.

Vertical version: see p. 112.  
Freestanding version: see p. 156.

PANEL PLUS HORIZONTAL sandblast grey 001





# PANEL PLUS HORIZONTAL




# PANEL PLUS HORIZONTAL

## DIMENSIONS (in cm)

- standard connection
- variant

Vertical version: see p. 112.  
Freestanding version: see p. 156.



## DELIVERY

- connection 18 underneath
- wall fixing
- chrome-plated air vent and drain plug G1/2"
- pre-mounted grille
- type 11 is provided with standard and extended wall fixings

## COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.


## CONNECTION

Code:

- 1° number = flow
- 2° number = return

Standard connection:


Code 18, reversible 18 or 81



Other connections (no surcharge):

- side connection:
  - one-sided: code 32 or 67 instead of 18
  - cross-over: code 37 or 62 instead of 18
- single point connection: code 11 (left) or 88 (right) instead of 18.

Always use a vertical diffusion tube (ø 10 to 12mm) min. 100 mm long and a reduction washer.



## CONNECTION SETS

Example showing connection set to the wall

**Jaga Deco double angled**

TRV head and sleeve couplings included.



set 35	<b>To the wall</b>	€
	CODE.JH2.AC.1...	219
<i>fill in sleeve coupling code</i>		
	Precision metal tube 15/1	115
	Precision metal tube 16/1	116
	Precision metal tube 18/1	118
	RPE/ALU tube 16/2	316
	RPE/ALU tube 18/2	318

## Other connection sets and sleeve couplings

see chapter "Connection sets and valves" for all connection options and technical information



# PANEL PLUS HORIZONTAL

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 056</b>				
<b>060</b>	<b>11</b>	510	268	<b>695</b>	<b>834</b>
	<b>22</b>	892	444	<b>1378</b>	<b>1652</b>
<b>080</b>	<b>11</b>	680	357	<b>799</b>	<b>959</b>
	<b>22</b>	1190	593	<b>1571</b>	<b>1885</b>
<b>100</b>	<b>11</b>	850	446	<b>900</b>	<b>1077</b>
	<b>22</b>	1487	740	<b>1762</b>	<b>2113</b>
<b>120</b>	<b>11</b>	1020	535	<b>1004</b>	<b>1206</b>
	<b>22</b>	1784	888	<b>1964</b>	<b>2357</b>
<b>140</b>	<b>11</b>	1190	624	<b>1109</b>	<b>1330</b>
	<b>22</b>	2082	1037	<b>2161</b>	<b>2592</b>
<b>160</b>	<b>11</b>	1360	714	<b>1214</b>	<b>1456</b>
	<b>22</b>	2379	1185	<b>2360</b>	<b>2832</b>
<b>180</b>	<b>11</b>	1530	803	<b>1317</b>	<b>1582</b>
	<b>22</b>	2676	1333	<b>2558</b>	<b>3070</b>
<b>200</b>	<b>11</b>	1700	892	<b>1423</b>	<b>1708</b>
	<b>22</b>	2974	1481	<b>2761</b>	<b>3312</b>
<b>220</b>	<b>11</b>	1870	981	<b>1527</b>	<b>1832</b>
	<b>22</b>	3271	1629	<b>2958</b>	<b>3551</b>
<b>240</b>	<b>11</b>	2040	1070	<b>1633</b>	<b>1958</b>
	<b>22</b>	3569	1777	<b>3156</b>	<b>3789</b>
<b>260</b>	<b>11</b>	2210	1159	<b>1736</b>	<b>2083</b>
	<b>22</b>	3866	1925	<b>3355</b>	<b>4027</b>
<b>280</b>	<b>11</b>	2380	1249	<b>1838</b>	<b>2208</b>
	<b>22</b>	4163	2073	<b>3551</b>	<b>4261</b>
<b>300</b>	<b>11</b>	2549	1337	<b>1944</b>	<b>2330</b>
	<b>22</b>	4461	2221	<b>3748</b>	<b>4498</b>

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 069</b>				
<b>060</b>	<b>11</b>	592	310	<b>811</b>	<b>973</b>
	<b>22</b>	1025	510	<b>1611</b>	<b>1933</b>
<b>080</b>	<b>11</b>	789	414	<b>925</b>	<b>1111</b>
	<b>22</b>	1367	681	<b>1831</b>	<b>2198</b>
<b>100</b>	<b>11</b>	986	517	<b>1043</b>	<b>1253</b>
	<b>22</b>	1709	851	<b>2056</b>	<b>2466</b>
<b>120</b>	<b>11</b>	1183	620	<b>1163</b>	<b>1396</b>
	<b>22</b>	2051	1021	<b>2288</b>	<b>2747</b>
<b>140</b>	<b>11</b>	1381	724	<b>1285</b>	<b>1544</b>
	<b>22</b>	2392	1191	<b>2522</b>	<b>3026</b>
<b>160</b>	<b>11</b>	1578	827	<b>1409</b>	<b>1691</b>
	<b>22</b>	2734	1361	<b>2761</b>	<b>3314</b>
<b>180</b>	<b>11</b>	1775	931	<b>1529</b>	<b>1837</b>
	<b>22</b>	3076	1532	<b>2993</b>	<b>3593</b>
<b>200</b>	<b>11</b>	1972	1034	<b>1655</b>	<b>1986</b>
	<b>22</b>	3418	1702	<b>3231</b>	<b>3877</b>
<b>220</b>	<b>11</b>	2169	1137	<b>1777</b>	<b>2133</b>
	<b>22</b>	3760	1872	<b>3467</b>	<b>4159</b>
<b>240</b>	<b>11</b>	2367	1241	<b>1900</b>	<b>2278</b>
	<b>22</b>	4101	2042	<b>3702</b>	<b>4443</b>
<b>260</b>	<b>11</b>	2564	1344	<b>2022</b>	<b>2428</b>
	<b>22</b>	4443	2212	<b>3940</b>	<b>4726</b>
<b>280</b>	<b>11</b>	2761	1448	<b>2143</b>	<b>2573</b>
	<b>22</b>	4785	2383	<b>4173</b>	<b>5006</b>
<b>300</b>	<b>11</b>	2958	1551	<b>2265</b>	<b>2721</b>
	<b>22</b>	5127	2553	<b>4409</b>	<b>5290</b>

	Type	Watts	Watts	€	€
		75/65	55/45	st. colour	other
<b>L</b>	<b>H 081</b>				
<b>060</b>	<b>11</b>	671	352	<b>908</b>	<b>1091</b>
	<b>22</b>	1143	569	<b>1811</b>	<b>2175</b>
<b>080</b>	<b>11</b>	895	469	<b>1033</b>	<b>1241</b>
	<b>22</b>	1524	759	<b>2051</b>	<b>2462</b>
<b>100</b>	<b>11</b>	1119	587	<b>1160</b>	<b>1391</b>
	<b>22</b>	1905	949	<b>2296</b>	<b>2754</b>
<b>120</b>	<b>11</b>	1342	704	<b>1296</b>	<b>1553</b>
	<b>22</b>	2286	1139	<b>2555</b>	<b>3067</b>
<b>140</b>	<b>11</b>	1566	821	<b>1429</b>	<b>1716</b>
	<b>22</b>	2667	1329	<b>2815</b>	<b>3378</b>
<b>160</b>	<b>11</b>	1790	939	<b>1564</b>	<b>1875</b>
	<b>22</b>	3048	1519	<b>3076</b>	<b>3689</b>
<b>180</b>	<b>11</b>	2013	1056	<b>1696</b>	<b>2037</b>
	<b>22</b>	3430	1709	<b>3333</b>	<b>4004</b>
<b>200</b>	<b>11</b>	2237	1173	<b>1832</b>	<b>2201</b>
	<b>22</b>	3811	1899	<b>3595</b>	<b>4317</b>
<b>220</b>	<b>11</b>	2461	1290	<b>1969</b>	<b>2363</b>
	<b>22</b>	4192	2089	<b>3860</b>	<b>4631</b>
<b>240</b>	<b>11</b>	2684	1407	<b>2102</b>	<b>2522</b>
	<b>22</b>	4573	2278	<b>4114</b>	<b>4939</b>
<b>260</b>	<b>11</b>	2908	1525	<b>2238</b>	<b>2685</b>
	<b>22</b>	4954	2468	<b>4377</b>	<b>5255</b>
<b>280</b>	<b>11</b>	3132	1642	<b>2371</b>	<b>2847</b>
	<b>22</b>	5335	2658	<b>4636</b>	<b>5564</b>
<b>300</b>	<b>11</b>	3356	1760	<b>2509</b>	<b>3009</b>
	<b>22</b>	5716	2848	<b>4899</b>	<b>5880</b>

EN442 output at 20°C room temperature

Panel Plus is available from 6cm high up to 94 cm, see: [www.jaga.com](http://www.jaga.com)

**jaga**  
CLIMATE  
DESIGNERS

Jaga International  
Verbindingslaan 16  
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12  
Fax: +32 (0)11 29 41 60  
export@jaga.com

The information in this price list is correct at the time of printing.  
Jaga reserves the right to change product specification at any time in line  
with our policy of continuous improvement and innovation.  
All prices in Euro, exclude VAT. Prices valid from January 1, 2024.  
Replaces all existing price lists.