

PANEL PLUS VERTICAL € 2024.EX

jaga

CLIMATE DESIGNERS

PANEL PLUS

Elegant simplicity and power

Streamlined, elegant design. The Panel Plus can be fitted as a wall mounted radiator, but Jaga also offers a super compact, solid skirting model or horizontal version ! The simple design of the Panel Plus radiator with its hidden rear collectors provides an elegant simplicity that oozes quality.

Horizontal version: see p. 68.
Freestanding version: see p. 156.

PANEL PLUS VERTICAL traffic white 333








DIMENSIONS (in cm)

○ standard connection

○ variant



DELIVERY

- universal central connection MM and 18/81 underneath
- standard and extended wall fixings included
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- traffic white RAL 9016 (333), smooth satin matt
- sandblast grey (001), fine texture metallic
- off-black RAL 7021 (145) Soft touch: finely-textured matte look, gloss degree < 10%

Other colours: see colour chart.

CONNECTION


Code:

1° number = flow

2° number = return

Standard connection:

Universal central connection at the bottom, code MM, flow left or right. Connection 18 or 81 at the bottom is also possible with code MM.



Top connection (no surcharge): enter code 45 or 54, provide an air vent on the central heating pipework.

CONNECTION SETS

Connection to the wall with Deco-Pro valve

TRV head and sleeve couplings included.



set 48	BRUSHED STAINLESS STEEL	€
	CODE.PW3.PS.1...	311
set 41	CHROME	€
	CODE.PW3.AW.1...	131
	CODE.PW3.AC.1...	148

fill in sleeve coupling code

Precision metal tube 15/1	115
Precision metal tube 16/1	116
Precision metal tube 18/1	118
RPE/ALU tube 16/2	316
RPE/ALU tube 18/2	318

Other connections:

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information

code height length colour conn.
PPVW . 180 024 . XXX /MM
fill in colour code —

	Watts 75/65	Watts 55/45	€ st. colour	€ other
L H 180				
024	584	294	561	671
031	730	368	686	822
037	875	441	812	976
043	1021	514	941	1129
050	1167	588	1068	1280
056	1313	662	1194	1431
062	1459	735	1324	1588
069	1605	809	1407	1687
075	1751	882	1490	1787
081	1897	956	1572	1888
087	2043	1030	1658	1990
094	2189	1103	1739	2086

L H 200				
024	644	326	593	714
031	805	408	731	879
037	965	489	872	1044
043	1126	570	1009	1211
050	1287	652	1147	1377
056	1448	733	1285	1544
062	1609	815	1428	1712
069	1770	897	1516	1820
075	1931	978	1606	1927
081	2092	1060	1695	2036
087	2253	1141	1783	2140
094	2414	1223	1872	2247

L H 220				
024	700	356	631	755
031	876	446	777	932
037	1051	535	928	1114
043	1226	624	1076	1293
050	1401	713	1226	1470
056	1576	802	1377	1651
062	1751	892	1528	1833
069	1926	981	1628	1951
075	2101	1070	1720	2064
081	2276	1159	1819	2181
087	2451	1248	1912	2295
094	2627	1338	2009	2411

L H 240				
024	754	386	666	801
031	943	482	826	990
037	1131	579	986	1183
043	1320	675	1147	1377
050	1508	771	1306	1569
056	1697	868	1467	1761
062	1885	964	1632	1956
069	2074	1061	1734	2081
075	2262	1157	1833	2202
081	2451	1254	1937	2324
087	2639	1350	2039	2447
094	2828	1447	2139	2567

EN442 output at 20°C room temperature

Horizontal version: see p. 68
Freestanding version: see p. 156

NOTES

NOTES

jaga

CLIMATE DESIGNERS

Jaga International
Verbindingslaan 16
B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12
Fax: +32 (0)11 29 41 60
export@jaga.com

The information in this price list is correct at the time of printing.
Jaga reserves the right to change product specification at any time in line
with our policy of continuous improvement and innovation.
All prices in Euro, exclude VAT. Prices valid from January 1, 2024.
Replaces all existing price lists.