





SANI BASIC € 2024.EX






DIMENSIONS (in cm)

BASIC





DELIVERY

- central connection MM underneath and 18/81 below
- wall fixing
- chrome-plated air vent and 3 drain plugs G1/2"

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colour:

- traffic white RAL 9016 (233), smooth glossy finish

CONNECTION

Code:

1° number = flow

2° number = return

Standard connection:

- central connection MM below or on top, flow left or right. Connection 18 or 81 is also possible.
- possible.
 single point connection: see chapter
 "Connection set & Valves" set 81 or 82.

- one pipe connection with code MM and connection set 41 or 42.

Other connections (no surcharge): When assigning a different connection code MM will still continue to exist.

- top connection: enter code 45 or 54. Insert pipe included. Has to be mounted in the return. Always mount an air vent on the central heating pipework.
- electric heating element and mixed application: see "Parts & Options"

SANI BASIC

CONNECTION SETS Connection set to the wall with a Deco-Pro valve

TRV head and sleeve couplings included.



BRUSHED STAINLESS STEEL	€
CODE.PW3.PS.1	311
CHROME	€
CODE.PW3.AW.1	131
CODE.PW3.AC.1	148
	STAINLESS STEEL CODE.PW3.PS.1 CHROME CODE.PW3.AW.1


fill in sleeve coupling code

Precision metal tube 15/1 115
Precision metal tube 16/1 116

Precision metal tube 18/1 118
RPE/ALU tube 16/2 316
RPE/ALU tube 18/2 318

Other connection sets and sleeve couplings

See chapter "Connection sets and valves Eyecatchers" for all connection options and technical information.




	Watts 75/65	Watts 55/45	€ st. colour	
L	H 094			
050	427	223	599	
L	H 132			
050	605	315	732	
060	706	368	772	
L	H 170			
050	775	402	868	
060	906	472	910	
L	H 198			
060	1081	563	1023	
075	1317	689	1109	


EN442 output at 20°C room temperature



For electric element see p. 378



SANI BASIC







jaga CLIMATE DESIGNERS

Jaga International Verbindingslaan 16 B-3590 Diepenbeek

Tel.: +32 (0)11 29 41 12 Fax: +32 (0)11 29 41 60 export@jaga.com