



## TEMPO LST - PRICE LIST - UK 03/2025

### DIMENSIONS (in mm)

Tempo LST wall-mounted




Tempo LST freestanding




‡ Max. when using Jaga TRV and head  
\* Surcharge applies


Example with Jaga valve:  
to the wall




Example with Jaga valve:  
to the floor



Example with Jaga Pro valve:  
to the wall or to the floor



Example with  
Jaga top valve:




Type	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
10/11	53	29	100
15/16	78	53	120
20/21	103	79	150
	<b>B</b>	<b>BS</b>	
10/11	119	130	
15/16	169	180	
20/21	219	230	

### CONNECTION

Jaga valves can be concealed within the standard casing. Other valves may be partially visible.

High level valve details:  
see "Valves and TRVs".



### COLOURS

Environmentally friendly, scratch-resistant, high UV resistant coating.

Colour:

- Pure White RAL 9010 (101), soft touch satin finish

### ORDERING CODE

code	height	length	type	colour
<b>TEMW .</b>	<b>040</b>	<b>060</b>	<b>10 .</b>	<b>101</b>

For example using ordering code TEMW 040 060 10 101 will result in a Tempo wall model with white casing, 400mm high, 600mm long and type 10.

### STOCK ITEMS

All wall mounted models up to 2000 long in all heights are held in stock, all other sizes are made to order.

All freestanding models are made to order.

Split delivery options available.

Please contact our customer service team to discuss your requirements and availability on large quantity orders.



## HEIGHT 200 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.020 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour
400	10	262	127	2.2	0.26	280.30
	15	436	212	2.7	0.39	334.30
	20	613	299	3.3	0.53	389.70
500	10	328	159	2.7	0.33	307.00
	15	545	265	3.4	0.49	368.60
	20	766	373	4.2	0.66	433.70
600	10	393	191	3.2	0.39	326.60
	15	654	319	4.0	0.59	397.20
	20	919	448	5.0	0.79	470.90
700	10	459	223	3.8	0.46	376.30
	15	763	372	4.7	0.69	464.10
	20	1072	522	5.8	0.92	554.50
800	10	524	255	4.3	0.52	402.50
	15	872	425	5.4	0.78	500.00
	20	1226	597	6.6	1.06	600.00
900	10	590	287	4.9	0.59	427.00
	15	981	478	6.0	0.88	533.60
	20	1379	672	7.5	1.19	642.60
1000	10	655	318	5.4	0.65	466.50
	15	1090	531	6.7	0.98	588.90
	20	1532	746	8.3	1.32	714.20
1100	10	721	350	5.9	0.72	495.00
	15	1199	584	7.4	1.08	628.00
	20	1685	821	9.1	1.45	762.50
1200	10	786	382	6.5	0.78	520.00
	15	1308	637	8.0	1.18	661.50
	20	1838	895	10.0	1.58	808.00
1400	10	917	446	7.6	0.91	576.80
	15	1526	743	9.4	1.37	741.00
	20	2145	1045	11.6	1.85	962.30
1600	10	1048	509	8.6	1.04	676.70
	15	1744	850	10.7	1.57	878.00
	20	2451	1194	13.3	2.11	1141.20
1800	10	1179	573	9.7	1.17	731.60
	15	1962	956	12.1	1.76	955.00
	20	2758	1343	14.9	2.38	1241.40
2000	10	1310	637	10.8	1.30	792.10
	15	2180	1062	13.4	1.96	1091.70
	20	3064	1493	16.6	2.64	1344.40
2200	10	1441	700	11.9	1.43	906.00
	15	2398	1168	14.7	2.16	1254.00
	20	3370	1642	18.3	2.90	1551.40
2400	10	1572	764	13.0	1.56	972.90
	15	2616	1274	16.1	2.35	1345.90
	20	3677	1791	19.9	3.17	1668.60
2600	10	1703	827	14.0	1.69	1036.40
	15	2834	1381	17.4	2.55	1434.00
	20	3983	1940	21.6	3.43	1781.20
2800	10	1834	891	15.1	1.82	1109.80
	15	3052	1487	18.8	2.74	1529.90
	20	4290	2090	23.2	3.70	1900.50
3000	10	1965	955	16.2	1.95	1167.10
	15	3270	1593	20.1	2.94	1611.90
	20	4596	2239	24.9	3.96	2007.60

EN442 output at 20°C room temperature

# HEIGHT 300 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.030 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	330	161	2.6	0.26	298.90	11	448	215	3.3	0.53	487.80
	15	544	267	3.2	0.39	355.60	16	592	281	4.3	0.79	578.20
	20	762	373	3.9	0.53	412.60	21	779	368	5.4	1.06	613.30
500	10	413	202	3.3	0.33	327.80	11	561	269	4.1	0.67	531.10
	15	680	333	4.1	0.49	392.10	16	740	352	5.4	0.99	634.40
	20	953	467	4.9	0.66	459.30	21	974	460	6.7	1.33	679.80
600	10	496	242	4.0	0.39	348.60	11	673	323	4.9	0.80	564.70
	15	815	399	4.9	0.59	422.50	16	888	422	6.5	1.19	682.30
	20	1144	561	5.9	0.79	498.20	21	1169	552	8.0	1.60	735.80
700	10	578	282	4.6	0.46	402.00	11	785	376	5.7	0.93	646.60
	15	951	466	5.7	0.69	493.00	16	1036	492	7.6	1.39	794.70
	20	1334	654	6.9	0.92	584.40	21	1364	644	9.4	1.86	862.40
800	10	661	323	5.3	0.52	430.70	11	897	430	6.6	1.06	690.10
	15	1087	533	6.5	0.78	530.00	16	1184	563	8.6	1.58	853.60
	20	1525	747	7.8	1.06	632.40	21	1558	736	10.7	2.13	932.00
900	10	743	363	5.9	0.59	457.20	11	1009	484	7.4	1.20	729.90
	15	1223	599	7.3	0.88	566.00	16	1332	633	9.7	1.78	909.70
	20	1715	841	8.8	1.19	676.60	21	1753	828	12.1	2.39	996.40
1000	10	826	403	6.6	0.65	498.70	11	1121	537	8.2	1.33	796.40
	15	1359	666	8.1	0.98	623.60	16	1480	703	10.8	1.98	1001.20
	20	1906	934	9.8	1.32	750.30	21	1948	920	13.4	2.66	1104.10
1100	10	909	444	7.3	0.72	530.00	11	1233	591	9.0	1.46	841.10
	15	1495	733	8.9	1.08	664.80	16	1628	774	11.9	2.18	1063.80
	20	2097	1028	10.8	1.45	801.60	21	2143	1012	14.7	2.93	1178.80
1200	10	991	484	7.9	0.78	557.30	11	1345	645	9.8	1.60	883.90
	15	1631	799	9.7	1.18	700.70	16	1776	844	13.0	2.38	1122.80
	20	2287	1121	11.8	1.58	849.00	21	2338	1105	16.1	3.19	1246.60
1400	10	1156	565	9.2	0.91	621.00	11	1569	752	11.5	1.86	979.80
	15	1903	933	11.3	1.37	786.30	16	2072	985	15.1	2.77	1254.80
	20	2668	1308	13.7	1.85	1010.50	21	2727	1288	18.8	3.72	1487.60
1600	10	1322	646	10.6	1.04	725.00	11	1794	860	13.1	2.13	1144.30
	15	2174	1066	13.0	1.57	929.00	16	2368	1126	17.3	3.17	1482.90
	20	3050	1495	15.7	2.11	1193.80	21	3117	1473	21.4	4.26	1758.20
1800	10	1487	726	11.9	1.17	785.00	11	2018	967	14.8	2.39	1235.10
	15	2446	1199	14.6	1.76	1009.80	16	2664	1266	19.4	3.56	1610.20
	20	3431	1682	17.6	2.38	1298.80	21	3506	1656	24.1	4.79	1909.10
2000	10	1652	807	13.2	1.30	849.60	11	2242	1074	16.4	2.66	1330.30
	15	2718	1332	16.2	1.96	1151.10	16	2960	1407	21.6	3.96	1840.40
	20	3812	1868	19.6	2.64	1406.60	21	3896	1841	26.8	5.32	2064.90
2200	10	1817	887	14.5	1.43	968.00	11	2466	1182	18.0	2.93	1518.70
	15	2990	1465	17.8	2.16	1317.70	16	3256	1548	23.8	4.36	2111.70
	20	4193	2055	21.6	2.90	1618.40	21	4286	2025	29.5	5.85	2377.90
2400	10	1982	968	15.8	1.56	1042.20	11	2690	1289	19.7	3.19	1630.30
	15	3262	1599	19.4	2.35	1417.30	16	3552	1688	25.9	4.75	2266.10
	20	4574	2242	23.5	3.17	1742.80	21	4675	2209	32.2	6.38	2558.30
2600	10	2148	1049	17.2	1.69	1111.10	11	2915	1397	21.3	3.46	1734.60
	15	3533	1732	21.1	2.55	1509.80	16	3848	1829	28.1	5.15	2411.20
	20	4956	2429	25.5	3.43	1860.30	21	5065	2393	34.8	6.92	2727.40
2800	10	2313	1130	18.5	1.82	1188.70	11	3139	1504	23.0	3.72	1847.50
	15	3805	1865	22.7	2.74	1610.00	16	4144	1970	30.2	5.54	2561.30
	20	5337	2616	27.4	3.70	1983.60	21	5454	2577	37.5	7.45	2903.10
3000	10	2478	1210	19.8	1.95	1250.00	11	3363	1612	24.6	3.99	1941.70
	15	4077	1998	24.3	2.94	1696.70	16	4440	2110	32.4	5.94	2697.70
	20	5718	2802	29.4	3.96	2095.40	21	5844	2761	40.2	7.98	3065.00

EN442 output at 20°C room temperature

# HEIGHT 400 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.040 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	385	189	3.1	0.26	319.20	11	506	243	3.8	0.53	508.50
	15	627	309	3.8	0.39	378.10	16	680	323	4.9	0.79	600.50
	20	878	433	4.5	0.53	438.50	21	910	428	6.0	1.06	639.80
500	10	482	236	3.9	0.33	350.10	11	632	303	4.7	0.67	552.60
	15	784	386	4.8	0.49	417.30	16	850	403	6.1	0.99	660.10
	20	1098	541	5.7	0.66	487.80	21	1137	535	7.5	1.33	708.60
600	10	578	284	4.7	0.39	372.60	11	758	363	5.6	0.80	588.20
	15	941	464	5.7	0.59	449.00	16	1020	484	7.3	1.19	709.30
	20	1318	650	6.8	0.79	528.40	21	1364	641	8.9	1.60	766.80
700	10	674	331	5.5	0.46	429.00	11	885	424	6.6	0.93	673.50
	15	1098	541	6.7	0.69	522.20	16	1190	564	8.5	1.39	824.20
	20	1537	758	7.9	0.92	617.10	21	1592	749	10.4	1.86	896.70
800	10	770	378	6.2	0.52	459.40	11	1011	485	7.5	1.06	718.70
	15	1254	618	7.6	0.78	561.90	16	1360	645	9.8	1.58	885.70
	20	1757	866	9.0	1.06	667.10	21	1819	855	11.9	2.13	967.80
900	10	867	425	7.0	0.59	488.70	11	1138	546	8.5	1.20	760.80
	15	1411	695	8.6	0.88	600.00	16	1530	726	11.0	1.78	943.30
	20	1976	974	10.2	1.19	714.60	21	2047	963	13.4	2.39	1035.50
1000	10	963	472	7.8	0.65	532.40	11	1264	606	9.4	1.33	829.20
	15	1568	773	9.5	0.98	658.50	16	1700	806	12.2	1.98	1036.90
	20	2196	1083	11.3	1.32	789.80	21	2274	1069	14.9	2.66	1144.40
1100	10	1059	520	8.6	0.72	566.00	11	1390	666	10.3	1.46	876.90
	15	1725	850	10.5	1.08	703.70	16	1870	887	13.4	2.18	1103.00
	20	2416	1191	12.4	1.45	843.70	21	2501	1176	16.4	2.93	1220.80
1200	10	1156	567	9.4	0.78	594.00	11	1517	727	11.3	1.60	920.60
	15	1882	928	11.4	1.18	741.40	16	2040	968	14.6	2.38	1163.20
	20	2635	1299	13.6	1.58	893.30	21	2729	1283	17.9	3.19	1291.80
1400	10	1348	661	10.9	0.91	665.20	11	1770	849	13.2	1.86	1023.40
	15	2195	1082	13.3	1.37	834.70	16	2380	1129	17.1	2.77	1302.30
	20	3074	1516	15.8	1.85	1063.10	21	3184	1497	20.9	3.72	1539.30
1600	10	1541	756	12.5	1.04	774.00	11	2022	969	15.0	2.13	1192.70
	15	2509	1237	15.2	1.57	979.80	16	2720	1290	19.5	3.17	1534.30
	20	3514	1733	18.1	2.11	1250.50	21	3638	1711	23.8	4.26	1814.60
1800	10	1733	850	14.0	1.17	839.00	11	2275	1091	16.9	2.39	1288.90
	15	2822	1391	17.1	1.76	1066.00	16	3060	1452	22.0	3.56	1666.30
	20	3953	1949	20.3	2.38	1360.30	21	4093	1925	26.8	4.79	1970.70
2000	10	1926	945	15.6	1.30	908.80	11	2528	1212	18.8	2.66	1388.60
	15	3136	1546	19.0	1.96	1212.70	16	3400	1613	24.4	3.96	1902.10
	20	4392	2166	22.6	2.64	1472.60	21	4548	2139	29.8	5.32	2130.30
2200	10	2119	1040	17.2	1.43	1031.70	11	2781	1333	20.7	2.93	1582.00
	15	3450	1700	20.9	2.16	1384.20	16	3740	1774	26.8	4.36	2178.00
	20	4831	2382	24.9	2.90	1689.20	21	5003	2353	32.8	5.85	2448.70
2400	10	2311	1134	18.7	1.56	1112.10	11	3034	1455	22.6	3.19	1699.50
	15	3763	1855	22.8	2.35	1489.40	16	4080	1935	29.3	4.75	2338.80
	20	5270	2599	27.1	3.17	1822.50	21	5458	2567	35.8	6.38	2638.00
2600	10	2504	1229	20.3	1.69	1184.80	11	3286	1576	24.4	3.46	1807.30
	15	4077	2009	24.7	2.55	1586.60	16	4420	2097	31.7	5.15	2488.40
	20	5710	2816	29.4	3.43	1943.90	21	5912	2780	38.7	6.92	2811.40
2800	10	2696	1323	21.8	1.82	1267.10	11	3539	1697	26.3	3.72	1925.70
	15	4390	2164	26.6	2.74	1692.00	16	4760	2258	34.2	5.54	2644.20
	20	6149	3032	31.6	3.70	2073.60	21	6367	2994	41.7	7.45	2992.40
3000	10	2889	1417	23.4	1.95	1333.30	11	3792	1818	28.2	3.99	2024.30
	15	4704	2318	28.5	2.94	1783.40	16	5100	2419	36.6	5.94	2785.30
	20	6588	3249	33.9	3.96	2188.40	21	6822	3208	44.7	7.98	3157.80

EN442 output at 20°C room temperature

# HEIGHT 500 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.050 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	430	212	3.6	0.26	<b>340.40</b>	11	554	266	4.3	0.53	<b>529.60</b>
	15	694	344	4.3	0.39	<b>404.90</b>	16	759	359	5.4	0.79	<b>626.90</b>
	20	970	481	5.2	0.53	<b>466.30</b>	21	1033	484	6.6	1.06	<b>666.90</b>
500	10	538	265	4.5	0.33	<b>374.00</b>	11	693	332	5.4	0.67	<b>577.30</b>
	15	867	430	5.4	0.49	<b>446.00</b>	16	949	449	6.8	0.99	<b>688.40</b>
	20	1213	602	6.5	0.66	<b>517.90</b>	21	1291	605	8.2	1.33	<b>738.20</b>
600	10	646	318	5.4	0.39	<b>398.70</b>	11	832	399	6.4	0.80	<b>614.40</b>
	15	1040	516	6.5	0.59	<b>479.20</b>	16	1139	539	8.2	1.19	<b>739.40</b>
	20	1455	722	7.7	0.79	<b>560.10</b>	21	1549	725	9.8	1.60	<b>797.90</b>
700	10	753	371	6.3	0.46	<b>458.20</b>	11	970	465	7.5	0.93	<b>702.80</b>
	15	1214	602	7.6	0.69	<b>555.00</b>	16	1329	629	9.5	1.39	<b>857.30</b>
	20	1689	838	9.0	0.92	<b>651.80</b>	21	1807	846	11.5	1.86	<b>930.30</b>
800	10	861	424	7.2	0.52	<b>490.40</b>	11	1109	532	8.6	1.06	<b>749.70</b>
	15	1387	688	8.6	0.78	<b>596.90</b>	16	1518	719	10.9	1.58	<b>920.60</b>
	20	1940	962	10.3	1.06	<b>704.30</b>	21	2066	968	13.1	2.13	<b>1004.20</b>
900	10	968	477	8.1	0.59	<b>521.20</b>	11	1247	598	9.6	1.20	<b>793.50</b>
	15	1561	774	9.7	0.88	<b>637.90</b>	16	1708	809	12.2	1.78	<b>981.30</b>
	20	2183	1083	11.6	1.19	<b>753.50</b>	21	2324	1088	14.8	2.39	<b>1073.30</b>
1000	10	1076	530	9.0	0.65	<b>567.60</b>	11	1386	665	10.7	1.33	<b>864.90</b>
	15	1734	860	10.8	0.98	<b>698.60</b>	16	1898	898	13.6	1.98	<b>1077.00</b>
	20	2425	1203	12.9	1.32	<b>831.40</b>	21	2582	1209	16.4	2.66	<b>1185.40</b>
1100	10	1184	584	9.9	0.72	<b>602.70</b>	11	1525	732	11.8	1.46	<b>914.80</b>
	15	1907	946	11.9	1.08	<b>745.60</b>	16	2088	988	15.0	2.18	<b>1144.70</b>
	20	2668	1323	14.2	1.45	<b>887.40</b>	21	2840	1330	18.0	2.93	<b>1264.10</b>
1200	10	1291	636	10.8	0.78	<b>634.40</b>	11	1663	798	12.8	1.60	<b>960.80</b>
	15	2081	1032	13.0	1.18	<b>785.80</b>	16	2278	1078	16.3	2.38	<b>1207.80</b>
	20	2910	1443	15.5	1.58	<b>939.20</b>	21	3098	1451	19.7	3.19	<b>1337.10</b>
1400	10	1506	742	12.6	0.91	<b>712.10</b>	11	1940	931	15.0	1.86	<b>1069.60</b>
	15	2428	1204	15.1	1.37	<b>886.60</b>	16	2657	1258	19.0	2.77	<b>1354.70</b>
	20	3395	1684	18.1	1.85	<b>1116.60</b>	21	3615	1693	23.0	3.72	<b>1594.40</b>
1600	10	1722	849	14.4	1.04	<b>825.10</b>	11	2218	1064	17.1	2.13	<b>1243.90</b>
	15	2774	1376	17.3	1.57	<b>1036.90</b>	16	3037	1438	21.8	3.17	<b>1590.80</b>
	20	3880	1924	20.6	2.11	<b>1308.80</b>	21	4131	1935	26.2	4.26	<b>1873.90</b>
1800	10	1937	955	16.2	1.17	<b>894.70</b>	11	2495	1197	19.3	2.39	<b>1344.10</b>
	15	3121	1548	19.4	1.76	<b>1127.40</b>	16	3416	1617	24.5	3.56	<b>1728.00</b>
	20	4365	2165	23.2	2.38	<b>1422.90</b>	21	4648	2177	29.5	4.79	<b>2034.10</b>
2000	10	2152	1061	18.0	1.30	<b>968.60</b>	11	2772	1330	21.4	2.66	<b>1448.30</b>
	15	3468	1720	21.6	1.96	<b>1279.20</b>	16	3796	1797	27.2	3.96	<b>1968.00</b>
	20	4850	2405	25.8	2.64	<b>1540.30</b>	21	5164	2418	32.8	5.32	<b>2198.90</b>
2200	10	2367	1167	19.8	1.43	<b>1096.80</b>	11	3049	1463	23.5	2.93	<b>1646.90</b>
	15	3815	1892	23.8	2.16	<b>1454.30</b>	16	4176	1977	29.9	4.36	<b>2247.80</b>
	20	5335	2646	28.4	2.90	<b>1761.60</b>	21	5680	2660	36.1	5.85	<b>2521.50</b>
2400	10	2582	1273	21.6	1.56	<b>1183.00</b>	11	3326	1596	25.7	3.19	<b>1771.40</b>
	15	4162	2064	25.9	2.35	<b>1567.90</b>	16	4555	2156	32.6	4.75	<b>2417.90</b>
	20	5820	2886	31.0	3.17	<b>1902.60</b>	21	6197	2902	39.4	6.38	<b>2718.10</b>
2600	10	2798	1379	23.4	1.69	<b>1260.60</b>	11	3604	1729	27.8	3.46	<b>1884.70</b>
	15	4508	2236	28.1	2.55	<b>1670.10</b>	16	4935	2336	35.4	5.15	<b>2571.80</b>
	20	6305	3127	33.5	3.43	<b>2029.10</b>	21	6713	3144	42.6	6.92	<b>2896.40</b>
2800	10	3013	1485	25.2	1.82	<b>1347.60</b>	11	3881	1862	30.0	3.72	<b>2006.40</b>
	15	4855	2408	30.2	2.74	<b>1779.60</b>	16	5314	2516	38.1	5.54	<b>2732.00</b>
	20	6790	3367	36.1	3.70	<b>2162.50</b>	21	7230	3386	45.9	7.45	<b>3081.90</b>
3000	10	3228	1591	27.0	1.95	<b>1418.40</b>	11	4158	1995	32.1	3.99	<b>2110.10</b>
	15	5202	2580	32.4	2.94	<b>1876.40</b>	16	5694	2695	40.8	5.94	<b>2877.60</b>
	20	7275	3608	38.7	3.96	<b>2283.30</b>	21	7746	3628	49.2	7.98	<b>3252.70</b>

EN442 output at 20°C room temperature

# HEIGHT 600 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.060 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	468	232	4.1	0.26	363.20	11	598	287	4.8	0.53	551.60
	15	746	372	4.9	0.39	426.50	16	834	394	6.0	0.79	648.60
	20	1043	520	5.8	0.53	492.00	21	1153	538	7.2	1.06	692.60
500	10	585	290	5.2	0.33	398.30	11	747	359	6.0	0.67	601.20
	15	933	466	6.1	0.49	469.90	16	1042	492	7.5	0.99	712.40
	20	1304	651	7.2	0.66	545.80	21	1441	672	9.0	1.33	765.30
600	10	702	348	6.2	0.39	425.00	11	896	430	7.1	0.80	640.50
	15	1120	559	7.3	0.59	505.70	16	1250	591	8.9	1.19	766.60
	20	1565	781	8.6	0.79	589.90	21	1729	806	10.7	1.60	827.90
700	10	819	406	7.2	0.46	486.80	11	1046	502	8.3	0.93	731.00
	15	1306	652	8.5	0.69	583.70	16	1459	689	10.4	1.39	886.00
	20	1826	911	10.1	0.92	684.40	21	2017	941	12.5	1.86	962.70
800	10	936	463	8.2	0.52	522.00	11	1195	574	9.5	1.06	780.80
	15	1493	745	9.8	0.78	628.30	16	1667	788	11.9	1.58	951.90
	20	2086	1041	11.5	1.06	739.20	21	2306	1076	14.3	2.13	1039.20
900	10	1053	521	9.3	0.59	554.40	11	1345	646	10.7	1.20	826.50
	15	1679	838	11.0	0.88	670.80	16	1876	886	13.4	1.78	1014.30
	20	2347	1171	13.0	1.19	790.50	21	2594	1210	16.1	2.39	1109.80
1000	10	1170	579	10.3	0.65	603.40	11	1494	717	11.9	1.33	900.50
	15	1866	931	12.2	0.98	734.50	16	2084	985	14.9	1.98	1112.50
	20	2608	1301	14.4	1.32	869.70	21	2882	1344	17.9	2.66	1224.40
1100	10	1287	637	11.3	0.72	641.90	11	1643	789	13.1	1.46	951.90
	15	2053	1024	13.4	1.08	784.40	16	2292	1083	16.4	2.18	1183.70
	20	2869	1432	15.8	1.45	929.10	21	3170	1479	19.7	2.93	1306.00
1200	10	1404	695	12.4	0.78	674.60	11	1793	861	14.3	1.60	1001.00
	15	2239	1117	14.6	1.18	826.60	16	2501	1182	17.9	2.38	1248.50
	20	3130	1562	17.3	1.58	982.80	21	3458	1613	21.5	3.19	1380.80
1400	10	1638	811	14.4	0.91	759.60	11	2092	1004	16.7	1.86	1117.40
	15	2612	1303	17.1	1.37	933.60	16	2918	1379	20.9	2.77	1401.80
	20	3651	1822	20.2	1.85	1167.10	21	4035	1882	25.1	3.72	1643.10
1600	10	1872	927	16.5	1.04	877.40	11	2390	1147	19.0	2.13	1295.40
	15	2986	1490	19.5	1.57	1089.40	16	3334	1575	23.8	3.17	1642.80
	20	4173	2082	23.0	2.11	1363.30	21	4611	2151	28.6	4.26	1927.50
1800	10	2106	1043	18.5	1.17	950.90	11	2689	1291	21.4	2.39	1399.70
	15	3359	1676	22.0	1.76	1184.90	16	3751	1772	26.8	3.56	1785.30
	20	4694	2342	25.9	2.38	1483.20	21	5188	2420	32.2	4.79	2093.80
2000	10	2340	1159	20.6	1.30	1030.50	11	2988	1434	23.8	2.66	1510.20
	15	3732	1862	24.4	1.96	1339.90	16	4168	1969	29.8	3.96	2029.10
	20	5216	2603	28.8	2.64	1605.20	21	5764	2688	35.8	5.32	2263.40
2200	10	2574	1275	22.7	1.43	1161.80	11	3287	1578	26.2	2.93	1711.20
	15	4105	2048	26.8	2.16	1519.80	16	4585	2166	32.8	4.36	2313.90
	20	5738	2863	31.7	2.90	1830.20	21	6340	2957	39.4	5.85	2589.70
2400	10	2808	1390	24.7	1.56	1256.90	11	3586	1721	28.6	3.19	1844.40
	15	4478	2234	29.3	2.35	1641.70	16	5002	2363	35.8	4.75	2490.90
	20	6259	3123	34.6	3.17	1979.20	21	6917	3226	43.0	6.38	2794.50
2600	10	3042	1506	26.8	1.69	1338.50	11	3884	1864	30.9	3.46	1961.40
	15	4852	2421	31.7	2.55	1748.50	16	5418	2560	38.7	5.15	2649.60
	20	6781	3383	37.4	3.43	2110.10	21	7493	3495	46.5	6.92	2976.90
2800	10	3276	1622	28.8	1.82	1430.90	11	4183	2008	33.3	3.72	2089.30
	15	5225	2607	34.2	2.74	1862.60	16	5835	2757	41.7	5.54	2814.00
	20	7302	3643	40.3	3.70	2248.90	21	8070	3764	50.1	7.45	3167.30
3000	10	3510	1738	30.9	1.95	1506.20	11	4482	2151	35.7	3.99	2196.80
	15	5598	2793	36.6	2.94	1962.40	16	6252	2954	44.7	5.94	2963.90
	20	7824	3904	43.2	3.96	2373.30	21	8646	4033	53.7	7.98	3341.90

EN442 output at 20°C room temperature

## HEIGHT 700 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.070 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	499	248	4.6	0.26	<b>381.10</b>	11	636	305	5.2	0.53	<b>570.20</b>
	15	789	396	5.4	0.39	<b>447.50</b>	16	904	426	6.5	0.79	<b>669.90</b>
	20	1101	553	6.4	0.53	<b>515.80</b>	21	1271	590	7.8	1.06	<b>716.90</b>
500	10	624	311	5.8	0.33	<b>419.90</b>	11	795	382	6.6	0.67	<b>622.50</b>
	15	986	495	6.8	0.49	<b>493.60</b>	16	1130	533	8.2	0.99	<b>736.40</b>
	20	1377	691	8.0	0.66	<b>572.20</b>	21	1589	738	9.7	1.33	<b>792.10</b>
600	10	749	373	6.9	0.39	<b>447.60</b>	11	954	458	7.9	0.80	<b>663.00</b>
	15	1183	594	8.2	0.59	<b>532.40</b>	16	1356	639	9.8	1.19	<b>792.70</b>
	20	1652	829	9.5	0.79	<b>618.10</b>	21	1906	885	11.6	1.60	<b>855.80</b>
700	10	874	435	8.1	0.46	<b>511.90</b>	11	1113	534	9.2	0.93	<b>756.00</b>
	15	1380	692	9.5	0.69	<b>612.70</b>	16	1582	746	11.4	1.39	<b>914.80</b>
	20	1927	967	11.1	0.92	<b>715.20</b>	21	2224	1033	13.6	1.86	<b>993.90</b>
800	10	998	497	9.2	0.52	<b>549.70</b>	11	1272	611	10.5	1.06	<b>808.30</b>
	15	1578	792	10.9	0.78	<b>658.40</b>	16	1808	852	13.0	1.58	<b>982.60</b>
	20	2202	1105	12.7	1.06	<b>772.00</b>	21	2542	1181	15.5	2.13	<b>1072.00</b>
900	10	1123	559	10.4	0.59	<b>584.50</b>	11	1431	687	11.8	1.20	<b>856.50</b>
	15	1775	891	12.2	0.88	<b>703.60</b>	16	2034	959	14.7	1.78	<b>1046.60</b>
	20	2478	1244	14.3	1.19	<b>825.00</b>	21	2859	1328	17.5	2.39	<b>1144.80</b>
1000	10	1248	621	11.5	0.65	<b>635.00</b>	11	1590	764	13.1	1.33	<b>931.90</b>
	15	1972	989	13.6	0.98	<b>769.40</b>	16	2260	1065	16.3	1.98	<b>1148.20</b>
	20	2753	1382	15.9	1.32	<b>907.90</b>	21	3177	1476	19.4	2.66	<b>1261.30</b>
1100	10	1373	683	12.7	0.72	<b>675.90</b>	11	1749	840	14.4	1.46	<b>986.70</b>
	15	2169	1088	15.0	1.08	<b>820.80</b>	16	2486	1172	17.9	2.18	<b>1220.40</b>
	20	3028	1520	17.5	1.45	<b>968.80</b>	21	3495	1623	21.3	2.93	<b>1345.20</b>
1200	10	1498	746	13.8	0.78	<b>712.10</b>	11	1908	916	15.7	1.60	<b>1038.10</b>
	15	2366	1187	16.3	1.18	<b>865.30</b>	16	2712	1279	19.6	2.38	<b>1287.20</b>
	20	3304	1659	19.1	1.58	<b>1024.50</b>	21	3812	1771	23.3	3.19	<b>1422.10</b>
1400	10	1747	869	16.1	0.91	<b>801.60</b>	11	2226	1069	18.3	1.86	<b>1160.80</b>
	15	2761	1385	19.0	1.37	<b>980.30</b>	16	3164	1492	22.8	2.77	<b>1448.30</b>
	20	3854	1935	22.3	1.85	<b>1217.80</b>	21	4448	2066	27.2	3.72	<b>1693.90</b>
1600	10	1997	994	18.4	1.04	<b>923.70</b>	11	2544	1222	21.0	2.13	<b>1343.00</b>
	15	3155	1583	21.8	1.57	<b>1160.30</b>	16	3616	1705	26.1	3.17	<b>1694.00</b>
	20	4405	2211	25.4	2.11	<b>1419.30</b>	21	5083	2361	31.0	4.26	<b>1982.60</b>
1800	10	2246	1118	20.7	1.17	<b>1003.30</b>	11	2862	1374	23.6	2.39	<b>1453.90</b>
	15	3550	1781	24.5	1.76	<b>1241.40</b>	16	4068	1918	29.3	3.56	<b>1840.40</b>
	20	4955	2488	28.6	2.38	<b>1543.90</b>	21	5719	2657	34.9	4.79	<b>2153.30</b>
2000	10	2496	1242	23.0	1.30	<b>1086.90</b>	11	3180	1527	26.2	2.66	<b>1567.50</b>
	15	3944	1979	27.2	1.96	<b>1401.50</b>	16	4520	2131	32.6	3.96	<b>2089.90</b>
	20	5506	2764	31.8	2.64	<b>1670.30</b>	21	6354	2952	38.8	5.32	<b>2327.70</b>
2200	10	2746	1367	25.3	1.43	<b>1222.40</b>	11	3498	1680	28.8	2.93	<b>1773.40</b>
	15	4338	2177	29.9	2.16	<b>1585.40</b>	16	4972	2344	35.9	4.36	<b>2378.80</b>
	20	6057	3041	35.0	2.90	<b>1900.00</b>	21	6989	3247	42.7	5.85	<b>2659.20</b>
2400	10	2995	1491	27.6	1.56	<b>1324.60</b>	11	3816	1832	31.4	3.19	<b>1911.90</b>
	15	4733	2375	32.6	2.35	<b>1713.90</b>	16	5424	2557	39.1	4.75	<b>2562.90</b>
	20	6607	3317	38.2	3.17	<b>2056.80</b>	21	7625	3542	46.6	6.38	<b>2871.90</b>
2600	10	3245	1615	29.9	1.69	<b>1410.60</b>	11	4134	1985	34.1	3.46	<b>2034.10</b>
	15	5127	2573	35.4	2.55	<b>1824.70</b>	16	5876	2770	42.4	5.15	<b>2726.30</b>
	20	7158	3594	41.3	3.43	<b>2192.40</b>	21	8260	3837	50.4	6.92	<b>3058.60</b>
2800	10	3494	1739	32.2	1.82	<b>1508.00</b>	11	4452	2138	36.7	3.72	<b>2166.90</b>
	15	5522	2771	38.1	2.74	<b>1944.70</b>	16	6328	2983	45.6	5.54	<b>2896.10</b>
	20	7708	3870	44.5	3.70	<b>2335.40</b>	21	8896	4132	54.3	7.45	<b>3253.70</b>
3000	10	3744	1863	34.5	1.95	<b>1587.20</b>	11	4770	2291	39.3	3.99	<b>2278.90</b>
	15	5916	2968	40.8	2.94	<b>2049.00</b>	16	6780	3196	48.9	5.94	<b>3050.50</b>
	20	8259	4146	47.7	3.96	<b>2464.40</b>	21	9531	4427	58.2	7.98	<b>3433.20</b>

EN442 output at 20°C room temperature

## HEIGHT 800 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.080 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	524	258	5.1	0.26	401.60	11	670	330	5.8	0.53	591.20
	15	819	403	6.0	0.39	469.90	16	971	478	7.1	0.79	693.60
	20	1142	562	7.0	0.53	541.90	21	1390	684	8.4	1.06	742.90
500	10	655	322	6.4	0.33	442.50	11	837	412	7.2	0.67	645.60
	15	1023	503	7.5	0.49	518.50	16	1214	597	8.9	0.99	762.50
	20	1428	703	8.7	0.66	601.20	21	1737	855	10.5	1.33	820.80
600	10	785	386	7.7	0.39	472.10	11	1005	494	8.6	0.80	687.70
	15	1228	604	9.0	0.59	557.90	16	1457	717	10.6	1.19	819.90
	20	1713	843	10.4	0.79	648.40	21	2084	1025	12.5	1.60	886.30
700	10	916	451	9.0	0.46	539.00	11	1172	577	10.1	0.93	783.80
	15	1432	705	10.5	0.69	641.10	16	1700	836	12.4	1.39	944.80
	20	1999	984	12.2	0.92	748.40	21	2432	1197	14.6	1.86	1027.20
800	10	1047	515	10.2	0.52	579.20	11	1339	659	11.5	1.06	838.50
	15	1637	805	12.0	0.78	689.90	16	1943	956	14.2	1.58	1015.40
	20	2284	1124	13.9	1.06	807.70	21	2779	1367	16.7	2.13	1107.20
900	10	1178	580	11.5	0.59	615.80	11	1507	741	13.0	1.20	888.60
	15	1842	906	13.5	0.88	736.50	16	2185	1075	15.9	1.78	1081.60
	20	2570	1264	15.7	1.19	862.70	21	3126	1538	18.8	2.39	1182.50
1000	10	1309	644	12.8	0.65	668.80	11	1674	824	14.4	1.33	966.50
	15	2046	1007	15.0	0.98	805.10	16	2428	1195	17.7	1.98	1184.30
	20	2855	1405	17.4	1.32	947.30	21	3474	1709	20.9	2.66	1301.00
1100	10	1440	708	14.1	0.72	712.40	11	1842	906	15.8	1.46	1023.80
	15	2251	1107	16.5	1.08	859.30	16	2671	1314	19.5	2.18	1260.00
	20	3141	1545	19.1	1.45	1011.30	21	3821	1880	23.0	2.93	1387.90
1200	10	1571	773	15.4	0.78	749.80	11	2009	988	17.3	1.60	1076.90
	15	2455	1208	18.0	1.18	906.10	16	2914	1434	21.2	2.38	1329.10
	20	3426	1686	20.9	1.58	1068.60	21	4168	2051	25.1	3.19	1466.60
1400	10	1832	901	17.9	0.91	846.90	11	2344	1153	20.2	1.86	1205.70
	15	2865	1410	21.0	1.37	1027.90	16	3399	1672	24.8	2.77	1497.50
	20	3997	1967	24.4	1.85	1269.40	21	4863	2393	29.3	3.72	1745.90
1600	10	2094	1030	20.5	1.04	973.60	11	2679	1318	23.0	2.13	1392.80
	15	3274	1611	24.0	1.57	1191.60	16	3885	1911	28.3	3.17	1747.50
	20	4568	2247	27.8	2.11	1475.50	21	5558	2735	33.4	4.26	2039.30
1800	10	2355	1159	23.0	1.17	1057.80	11	3013	1482	25.9	2.39	1508.00
	15	3683	1812	27.0	1.76	1297.10	16	4371	2151	31.9	3.56	1898.50
	20	5139	2528	31.3	2.38	1604.80	21	6253	3076	37.6	4.79	2214.70
2000	10	2617	1288	25.6	1.30	1145.80	11	3348	1647	28.8	2.66	1626.60
	15	4092	2013	30.0	1.96	1461.70	16	4856	2389	35.4	3.96	2152.60
	20	5710	2809	34.8	2.64	1735.80	21	6947	3418	41.8	5.32	2393.90
2200	10	2879	1416	28.2	1.43	1286.70	11	3683	1812	31.7	2.93	1837.60
	15	4501	2214	33.0	2.16	1651.10	16	5342	2628	38.9	4.36	2446.50
	20	6281	3090	38.3	2.90	1969.60	21	7642	3760	46.0	5.85	2729.20
2400	10	3141	1545	30.7	1.56	1394.90	11	4018	1977	34.6	3.19	1983.50
	15	4911	2416	36.0	2.35	1786.50	16	5827	2867	42.5	4.75	2637.70
	20	6852	3371	41.8	3.17	2134.90	21	8337	4102	50.2	6.38	2950.50
2600	10	3402	1674	33.3	1.69	1485.10	11	4353	2142	37.4	3.46	2109.70
	15	5320	2617	39.0	2.55	1902.10	16	6313	3106	46.0	5.15	2805.70
	20	7423	3652	45.2	3.43	2274.70	21	9031	4443	54.3	6.92	3141.50
2800	10	3664	1803	35.8	1.82	1587.30	11	4687	2306	40.3	3.72	2246.90
	15	5729	2819	42.0	2.74	2026.00	16	6799	3345	49.6	5.54	2980.10
	20	7994	3933	48.7	3.70	2423.10	21	9726	4785	58.5	7.45	3341.70
3000	10	3926	1932	38.4	1.95	1671.50	11	5022	2471	43.2	3.99	2363.80
	15	6138	3020	45.0	2.94	2135.20	16	7284	3584	53.1	5.94	3138.80
	20	8565	4214	52.2	3.96	2556.00	21	10421	5127	62.7	7.98	3525.50

EN442 output at 20°C room temperature



# HEIGHT 900 - WALL-MOUNTED - OUTPUTS & PRICES

TEMW.090 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	548	275	5.7	0.26	422.00	11	703	338	6.3	0.53	611.50
	15	848	431	6.9	0.39	492.50	16	1038	487	7.9	0.79	717.30
	20	1183	601	7.7	0.53	568.10	21	1508	694	8.9	1.06	768.80
500	10	685	344	7.2	0.33	464.90	11	879	423	7.9	0.67	669.20
	15	1060	538	8.7	0.49	543.30	16	1298	609	9.9	0.99	787.90
	20	1479	751	9.7	0.66	629.70	21	1885	868	11.2	1.33	849.60
600	10	821	412	8.6	0.39	496.00	11	1055	507	9.5	0.80	712.40
	15	1272	646	10.4	0.59	584.50	16	1558	732	11.9	1.19	847.00
	20	1774	901	11.6	0.79	678.80	21	2262	1042	13.4	1.60	916.40
700	10	958	481	10.0	0.46	566.00	11	1231	592	11.1	0.93	812.00
	15	1484	754	12.1	0.69	669.90	16	1817	853	13.9	1.39	974.80
	20	2070	1051	13.5	0.92	781.60	21	2639	1215	15.6	1.86	1060.50
800	10	1095	550	11.4	0.52	608.20	11	1406	676	12.6	1.06	868.50
	15	1696	861	13.8	0.78	721.30	16	2077	975	15.8	1.58	1047.90
	20	2366	1202	15.4	1.06	843.00	21	3016	1389	17.8	2.13	1142.50
900	10	1232	619	12.9	0.59	647.00	11	1582	760	14.2	1.20	920.60
	15	1908	969	15.6	0.88	769.70	16	2336	1097	17.8	1.78	1116.40
	20	2661	1352	17.4	1.19	900.20	21	3393	1562	20.1	2.39	1220.10
1000	10	1369	688	14.3	0.65	702.70	11	1758	845	15.8	1.33	1001.00
	15	2120	1077	17.3	0.98	840.60	16	2596	1219	19.8	1.98	1220.80
	20	2957	1502	19.3	1.32	986.70	21	3770	1736	22.3	2.66	1340.60
1100	10	1506	756	15.7	0.72	749.10	11	1934	930	17.4	1.46	1061.00
	15	2332	1185	19.0	1.08	897.60	16	2856	1341	21.8	2.18	1299.60
	20	3253	1652	21.2	1.45	1053.60	21	4147	1910	24.5	2.93	1430.40
1200	10	1643	825	17.2	0.78	787.90	11	2110	1014	19.0	1.60	1115.10
	15	2544	1292	20.8	1.18	946.70	16	3115	1463	23.8	2.38	1370.90
	20	3548	1802	23.2	1.58	1113.20	21	4524	2083	26.8	3.19	1511.30
1400	10	1917	963	20.0	0.91	892.20	11	2461	1183	22.1	1.86	1250.60
	15	2968	1508	24.2	1.37	1074.80	16	3634	1706	27.7	2.77	1546.20
	20	4140	2103	27.0	1.85	1320.90	21	5278	2431	31.2	3.72	1797.70
1600	10	2190	1100	22.9	1.04	1023.40	11	2813	1352	25.3	2.13	1442.80
	15	3392	1723	27.7	1.57	1242.80	16	4154	1950	31.7	3.17	1800.80
	20	4731	2403	30.9	2.11	1531.80	21	6032	2778	35.7	4.26	2096.20
1800	10	2464	1238	25.7	1.17	1112.00	11	3164	1521	28.4	2.39	1561.90
	15	3816	1938	31.1	1.76	1353.40	16	4673	2194	35.6	3.56	1957.00
	20	5323	2704	34.7	2.38	1665.70	21	6786	3125	40.1	4.79	2276.10
2000	10	2738	1375	28.6	1.30	1204.50	11	3516	1690	31.6	2.66	1685.20
	15	4240	2154	34.6	1.96	1522.00	16	5192	2438	39.6	3.96	2214.70
	20	5914	3004	38.6	2.64	1801.40	21	7540	3472	44.6	5.32	2459.60
2200	10	3012	1513	31.5	1.43	1350.40	11	3868	1859	34.8	2.93	1901.60
	15	4664	2369	38.1	2.16	1716.40	16	5711	2681	43.6	4.36	2513.80
	20	6505	3304	42.5	2.90	2039.30	21	8294	3819	49.1	5.85	2798.80
2400	10	3286	1650	34.3	1.56	1465.50	11	4219	2028	37.9	3.19	2054.60
	15	5088	2584	41.5	2.35	1858.90	16	6230	2925	47.5	4.75	2712.70
	20	7097	3605	46.3	3.17	2212.50	21	9048	4167	53.5	6.38	3028.90
2600	10	3559	1788	37.2	1.69	1559.50	11	4571	2197	41.1	3.46	2184.90
	15	5512	2800	45.0	2.55	1978.60	16	6750	3169	51.5	5.15	2884.70
	20	7688	3905	50.2	3.43	2356.90	21	9802	4514	58.0	6.92	3224.30
2800	10	3833	1925	40.0	1.82	1666.30	11	4922	2366	44.2	3.72	2327.10
	15	5936	3015	48.4	2.74	2107.80	16	7269	3413	55.4	5.54	3064.10
	20	8280	4206	54.0	3.70	2510.60	21	10556	4861	62.4	7.45	3429.80
3000	10	4107	2063	42.9	1.95	1755.70	11	5274	2535	47.4	3.99	2448.20
	15	6360	3231	51.9	2.94	2221.00	16	7788	3657	59.4	5.94	3227.20
	20	8871	4506	57.9	3.96	2648.20	21	11310	5208	66.9	7.98	3617.40

EN442 output at 20°C room temperature

## HEIGHT 200 - FREESTANDING - OUTPUTS & PRICES

TEMF.020 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour
400	10	262	127	3.3	0.26	385.60
	15	436	212	3.9	0.39	439.00
	20	613	299	4.5	0.53	495.10
500	10	328	159	4.1	0.33	416.80
	15	545	265	4.9	0.49	478.30
	20	766	373	5.6	0.66	543.90
600	10	393	191	4.9	0.39	439.30
	15	654	319	5.8	0.59	510.70
	20	919	448	6.7	0.79	584.40
700	10	459	223	5.7	0.46	495.50
	15	763	372	6.8	0.69	583.30
	20	1072	522	7.8	0.92	672.40
800	10	524	255	6.6	0.52	525.90
	15	872	425	7.8	0.78	622.60
	20	1226	597	9.0	1.06	723.20
900	10	590	287	7.4	0.59	554.50
	15	981	478	8.7	0.88	661.70
	20	1379	672	10.1	1.19	770.10
1000	10	655	318	8.2	0.65	598.70
	15	1090	531	9.7	0.98	720.30
	20	1532	746	11.2	1.32	845.50
1100	10	721	350	9.0	0.72	631.60
	15	1199	584	10.7	1.08	765.10
	20	1685	821	12.3	1.45	899.60
1200	10	786	382	9.8	0.78	660.80
	15	1308	637	11.6	1.18	802.70
	20	1838	895	13.4	1.58	948.50
1400	10	917	446	11.5	0.91	767.50
	15	1526	743	13.6	1.37	932.00
	20	2145	1045	15.7	1.85	1152.90
1600	10	1048	509	13.1	1.04	876.10
	15	1744	850	15.5	1.57	1077.40
	20	2451	1194	17.9	2.11	1340.40
1800	10	1179	573	14.8	1.17	941.00
	15	1962	956	17.5	1.76	1163.40
	20	2758	1343	20.2	2.38	1450.10
2000	10	1310	637	16.4	1.30	1010.50
	15	2180	1062	19.4	1.96	1309.30
	20	3064	1493	22.4	2.64	1562.80
2200	10	1441	700	18.0	1.43	1133.50
	15	2398	1168	21.3	2.16	1480.60
	20	3370	1642	24.6	2.90	1778.60
2400	10	1572	764	19.7	1.56	1250.40
	15	2616	1274	23.3	2.35	1622.80
	20	3677	1791	26.9	3.17	1945.60
2600	10	1703	827	21.3	1.69	1322.80
	15	2834	1381	25.2	2.55	1720.00
	20	3983	1940	29.1	3.43	2067.60
2800	10	1834	891	23.0	1.82	1405.30
	15	3052	1487	27.2	2.74	1824.80
	20	4290	2090	31.4	3.70	2196.50
3000	10	1965	955	24.6	1.95	1471.30
	15	3270	1593	29.1	2.94	1916.50
	20	4596	2239	33.6	3.96	2312.30

EN442 output at 20°C room temperature

## HEIGHT 300 - FREESTANDING - OUTPUTS & PRICES

TEMF.030 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	330	161	4.1	0.26	415.30	11	448	215	4.8	0.53	605.00
	15	544	267	4.7	0.39	472.10	16	592	281	5.9	0.79	694.50
	20	762	373	5.4	0.53	529.10	21	779	368	6.8	1.06	729.50
500	10	413	202	5.1	0.33	451.30	11	561	269	6.0	0.67	655.00
	15	680	333	5.9	0.49	515.80	16	740	352	7.4	0.99	758.30
	20	953	467	6.8	0.66	583.50	21	974	460	8.6	1.33	803.20
600	10	496	242	6.1	0.39	477.30	11	673	323	7.1	0.80	693.30
	15	815	399	7.1	0.59	551.60	16	888	422	8.8	1.19	812.30
	20	1144	561	8.1	0.79	626.90	21	1169	552	10.3	1.60	864.70
700	10	578	282	7.1	0.46	539.00	11	785	376	8.3	0.93	784.10
	15	951	466	8.3	0.69	630.40	16	1036	492	10.3	1.39	931.90
	20	1334	654	9.5	0.92	721.60	21	1364	644	12.0	1.86	1001.00
800	10	661	323	8.2	0.52	574.00	11	897	430	9.5	1.06	833.70
	15	1087	533	9.4	0.78	673.50	16	1184	563	11.8	1.58	997.00
	20	1525	747	10.8	1.06	775.80	21	1558	736	13.7	2.13	1075.90
900	10	743	363	9.2	0.59	607.20	11	1009	484	10.7	1.20	880.10
	15	1223	599	10.6	0.88	716.90	16	1332	633	13.2	1.78	1060.50
	20	1715	841	12.2	1.19	827.20	21	1753	828	15.4	2.39	1146.60
1000	10	826	403	10.2	0.65	655.90	11	1121	537	11.9	1.33	953.00
	15	1359	666	11.8	0.98	780.30	16	1480	703	14.7	1.98	1158.70
	20	1906	934	13.5	1.32	907.50	21	1948	920	17.1	2.66	1261.80
1100	10	909	444	11.2	0.72	694.00	11	1233	591	13.1	1.46	1005.20
	15	1495	733	13.0	1.08	829.40	16	1628	774	16.2	2.18	1228.30
	20	2097	1028	14.9	1.45	966.30	21	2143	1012	18.8	2.93	1342.90
1200	10	991	484	12.2	0.78	727.80	11	1345	645	14.3	1.60	1054.50
	15	1631	799	14.2	1.18	871.70	16	1776	844	17.6	2.38	1293.40
	20	2287	1121	16.2	1.58	1019.80	21	2338	1105	20.5	3.19	1417.70
1400	10	1156	565	14.3	0.91	845.80	11	1569	752	16.7	1.86	1204.70
	15	1903	933	16.5	1.37	1011.70	16	2072	985	20.6	2.77	1479.80
	20	2668	1308	18.9	1.85	1235.70	21	2727	1288	23.9	3.72	1712.10
1600	10	1322	646	16.3	1.04	963.60	11	1794	860	19.0	2.13	1382.40
	15	2174	1066	18.9	1.57	1166.60	16	2368	1126	23.5	3.17	1721.10
	20	3050	1495	21.6	2.11	1432.70	21	3117	1473	27.4	4.26	1996.30
1800	10	1487	726	18.4	1.17	1037.40	11	2018	967	21.4	2.39	1487.60
	15	2446	1199	21.2	1.76	1262.40	16	2664	1266	26.5	3.56	1863.00
	20	3431	1682	24.3	2.38	1551.30	21	3506	1656	30.8	4.79	2161.90
2000	10	1652	807	20.4	1.30	1116.60	11	2242	1074	23.8	2.66	1597.50
	15	2718	1332	23.6	1.96	1417.70	16	2960	1407	29.4	3.96	2107.10
	20	3812	1868	27.0	2.64	1673.80	21	3896	1841	34.2	5.32	2331.90
2200	10	1817	887	22.4	1.43	1249.00	11	2466	1182	26.2	2.93	1800.10
	15	2990	1465	26.0	2.16	1598.10	16	3256	1548	32.3	4.36	2391.50
	20	4193	2055	29.7	2.90	1898.50	21	4286	2025	37.6	5.85	2658.40
2400	10	1982	968	24.5	1.56	1378.10	11	2690	1289	28.6	3.19	1966.20
	15	3262	1599	28.3	2.35	1752.10	16	3552	1688	35.3	4.75	2601.10
	20	4574	2242	32.4	3.17	2077.80	21	4675	2209	41.0	6.38	2893.50
2600	10	2148	1049	26.5	1.69	1459.60	11	2915	1397	30.9	3.46	2083.40
	15	3533	1732	30.7	2.55	1858.90	16	3848	1829	38.2	5.15	2760.00
	20	4956	2429	35.1	3.43	2209.10	21	5065	2393	44.5	6.92	3076.40
2800	10	2313	1130	28.6	1.82	1551.40	11	3139	1504	33.3	3.72	2210.30
	15	3805	1865	33.0	2.74	1973.10	16	4144	1970	41.2	5.54	2924.90
	20	5337	2616	37.8	3.70	2347.00	21	5454	2577	47.9	7.45	3266.30
3000	10	2478	1210	30.6	1.95	1627.30	11	3363	1612	35.7	3.99	2318.20
	15	4077	1998	35.4	2.94	2073.70	16	4440	2110	44.1	5.94	3074.50
	20	5718	2802	40.5	3.96	2472.00	21	5844	2761	51.3	7.98	3441.30

EN442 output at 20°C room temperature

# HEIGHT 400 - FREESTANDING - OUTPUTS & PRICES

TEMF.040 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	385	189	4.9	0.26	<b>447.10</b>	11	506	243	5.6	0.53	<b>636.20</b>
	15	627	309	5.6	0.39	<b>505.70</b>	16	680	323	6.8	0.79	<b>728.00</b>
	20	878	433	6.3	0.53	<b>566.00</b>	21	910	428	7.8	1.06	<b>767.80</b>
500	10	482	236	6.1	0.33	<b>487.70</b>	11	632	303	7.0	0.67	<b>689.80</b>
	15	784	386	7.0	0.49	<b>554.90</b>	16	850	403	8.5	0.99	<b>797.30</b>
	20	1098	541	7.9	0.66	<b>625.00</b>	21	1137	535	9.7	1.33	<b>845.80</b>
600	10	578	284	7.3	0.39	<b>517.50</b>	11	758	363	8.3	0.80	<b>732.30</b>
	15	941	464	8.4	0.59	<b>593.80</b>	16	1020	484	10.1	1.19	<b>854.00</b>
	20	1318	650	9.4	0.79	<b>672.40</b>	21	1364	641	11.6	1.60	<b>911.30</b>
700	10	674	331	8.5	0.46	<b>584.40</b>	11	885	424	9.7	0.93	<b>828.30</b>
	15	1098	541	9.8	0.69	<b>677.50</b>	16	1190	564	11.8	1.39	<b>979.50</b>
	20	1537	758	11.0	0.92	<b>773.00</b>	21	1592	749	13.6	1.86	<b>1052.40</b>
800	10	770	378	9.8	0.52	<b>624.00</b>	11	1011	485	11.1	1.06	<b>882.70</b>
	15	1254	618	11.2	0.78	<b>726.30</b>	16	1360	645	13.5	1.58	<b>1050.30</b>
	20	1757	866	12.6	1.06	<b>832.10</b>	21	1819	855	15.5	2.13	<b>1132.50</b>
900	10	867	425	11.0	0.59	<b>660.90</b>	11	1138	546	12.5	1.20	<b>933.20</b>
	15	1411	695	12.6	0.88	<b>772.70</b>	16	1530	726	15.2	1.78	<b>1116.40</b>
	20	1976	974	14.1	1.19	<b>886.40</b>	21	2047	963	17.5	2.39	<b>1207.30</b>
1000	10	963	472	12.2	0.65	<b>714.50</b>	11	1264	606	13.9	1.33	<b>1011.20</b>
	15	1568	773	14.0	0.98	<b>841.20</b>	16	1700	806	16.9	1.98	<b>1219.10</b>
	20	2196	1083	15.7	1.32	<b>971.30</b>	21	2274	1069	19.4	2.66	<b>1326.10</b>
1100	10	1059	520	13.4	0.72	<b>757.80</b>	11	1390	666	15.3	1.46	<b>1068.30</b>
	15	1725	850	15.4	1.08	<b>895.40</b>	16	1870	887	18.6	2.18	<b>1294.80</b>
	20	2416	1191	17.3	1.45	<b>1036.10</b>	21	2501	1176	21.3	2.93	<b>1413.30</b>
1200	10	1156	567	14.6	0.78	<b>795.40</b>	11	1517	727	16.7	1.60	<b>1121.10</b>
	15	1882	928	16.8	1.18	<b>942.60</b>	16	2040	968	20.3	2.38	<b>1364.20</b>
	20	2635	1299	18.8	1.58	<b>1093.80</b>	21	2729	1283	23.3	3.19	<b>1492.20</b>
1400	10	1348	661	17.1	0.91	<b>925.10</b>	11	1770	849	19.5	1.86	<b>1283.60</b>
	15	2195	1082	19.6	1.37	<b>1094.40</b>	16	2380	1129	23.7	2.77	<b>1561.90</b>
	20	3074	1516	22.0	1.85	<b>1322.60</b>	21	3184	1497	27.2	3.72	<b>1799.10</b>
1600	10	1541	756	19.5	1.04	<b>1051.80</b>	11	2022	969	22.2	2.13	<b>1470.40</b>
	15	2509	1237	22.4	1.57	<b>1258.40</b>	16	2720	1290	27.0	3.17	<b>1812.50</b>
	20	3514	1733	25.1	2.11	<b>1527.40</b>	21	3638	1711	31.0	4.26	<b>2091.80</b>
1800	10	1733	850	22.0	1.17	<b>1135.00</b>	11	2275	1091	25.0	2.39	<b>1584.90</b>
	15	2822	1391	25.2	1.76	<b>1363.60</b>	16	3060	1452	30.4	3.56	<b>1964.00</b>
	20	3953	1949	28.3	2.38	<b>1656.90</b>	21	4093	1925	34.9	4.79	<b>2267.40</b>
2000	10	1926	945	24.4	1.30	<b>1224.00</b>	11	2528	1212	27.8	2.66	<b>1704.10</b>
	15	3136	1546	28.0	1.96	<b>1528.30</b>	16	3400	1613	33.8	3.96	<b>2217.50</b>
	20	4392	2166	31.4	2.64	<b>1787.70</b>	21	4548	2139	38.8	5.32	<b>2446.00</b>
2200	10	2119	1040	26.8	1.43	<b>1364.20</b>	11	2781	1333	30.6	2.93	<b>1914.30</b>
	15	3450	1700	30.8	2.16	<b>1717.00</b>	16	3740	1774	37.2	4.36	<b>2511.10</b>
	20	4831	2382	34.5	2.90	<b>2022.30</b>	21	5003	2353	42.7	5.85	<b>2781.70</b>
2400	10	2311	1134	29.3	1.56	<b>1506.20</b>	11	3034	1455	33.4	3.19	<b>2093.60</b>
	15	3763	1855	33.6	2.35	<b>1883.20</b>	16	4080	1935	40.6	4.75	<b>2732.80</b>
	20	5270	2599	37.7	3.17	<b>2216.10</b>	21	5458	2567	46.6	6.38	<b>3031.80</b>
2600	10	2504	1229	31.7	1.69	<b>1596.30</b>	11	3286	1576	36.1	3.46	<b>2219.60</b>
	15	4077	2009	36.4	2.55	<b>1998.40</b>	16	4420	2097	43.9	5.15	<b>2900.20</b>
	20	5710	2816	40.8	3.43	<b>2355.00</b>	21	5912	2780	50.4	6.92	<b>3222.80</b>
2800	10	2696	1323	34.2	1.82	<b>1698.60</b>	11	3539	1697	38.9	3.72	<b>2356.90</b>
	15	4390	2164	39.2	2.74	<b>2123.40</b>	16	4760	2258	47.3	5.54	<b>3075.20</b>
	20	6149	3032	44.0	3.70	<b>2503.20</b>	21	6367	2994	54.3	7.45	<b>3422.80</b>
3000	10	2889	1417	36.6	1.95	<b>1782.10</b>	11	3792	1818	41.7	3.99	<b>2472.70</b>
	15	4704	2318	42.0	2.94	<b>2232.60</b>	16	5100	2419	50.7	5.94	<b>3233.80</b>
	20	6588	3249	47.1	3.96	<b>2637.70</b>	21	6822	3208	58.2	7.98	<b>3607.20</b>

EN442 output at 20°C room temperature

# HEIGHT 500 - FREESTANDING - OUTPUTS & PRICES

TEMF.050 LLL TT.XXX

	SINGLE			WEIGHT	WATER CONTENT	PRICE	TWIN			WEIGHT	WATER CONTENT	PRICE
L	Type	Watts	Watts	kg	l	£	Type	Watts	Watts	kg	l	£
mm		75/65	55/45			st. colour		75/65	55/45			st. colour
400	10	430	212	5.7	0.26	<b>481.10</b>	11	554	266	6.4	0.53	<b>669.90</b>
	15	694	344	6.4	0.39	<b>545.40</b>	16	759	359	7.6	0.79	<b>767.60</b>
	20	970	481	7.2	0.53	<b>607.50</b>	21	1033	484	8.7	1.06	<b>808.10</b>
500	10	538	265	7.1	0.33	<b>526.90</b>	11	693	332	8.0	0.67	<b>729.90</b>
	15	867	430	8.1	0.49	<b>598.50</b>	16	949	449	9.5	0.99	<b>840.90</b>
	20	1213	602	9.0	0.66	<b>670.80</b>	21	1291	605	10.9	1.33	<b>890.40</b>
600	10	646	318	8.5	0.39	<b>559.70</b>	11	832	399	9.5	0.80	<b>775.80</b>
	15	1040	516	9.7	0.59	<b>641.10</b>	16	1139	539	11.4	1.19	<b>901.50</b>
	20	1455	722	10.8	0.79	<b>721.40</b>	21	1549	725	13.0	1.60	<b>959.30</b>
700	10	753	371	9.9	0.46	<b>632.50</b>	11	970	465	11.1	0.93	<b>877.40</b>
	15	1214	602	11.3	0.69	<b>729.70</b>	16	1329	629	13.3	1.39	<b>1031.70</b>
	20	1689	838	12.6	0.92	<b>827.20</b>	21	1807	846	15.2	1.86	<b>1105.70</b>
800	10	861	424	11.4	0.52	<b>676.10</b>	11	1109	532	12.7	1.06	<b>936.10</b>
	15	1387	688	12.9	0.78	<b>782.50</b>	16	1518	719	15.2	1.58	<b>1106.60</b>
	20	1940	962	14.4	1.06	<b>890.60</b>	21	2066	968	17.4	2.13	<b>1190.70</b>
900	10	968	477	12.8	0.59	<b>717.20</b>	11	1247	598	14.3	1.20	<b>989.90</b>
	15	1561	774	14.5	0.88	<b>833.60</b>	16	1708	809	17.1	1.78	<b>1177.30</b>
	20	2183	1083	16.2	1.19	<b>949.20</b>	21	2324	1088	19.5	2.39	<b>1269.20</b>
1000	10	1076	530	14.2	0.65	<b>774.30</b>	11	1386	665	15.9	1.33	<b>1072.00</b>
	15	1734	860	16.1	0.98	<b>906.30</b>	16	1898	898	19.0	1.98	<b>1285.00</b>
	20	2425	1203	18.0	1.32	<b>1038.70</b>	21	2582	1209	21.7	2.66	<b>1392.90</b>
1100	10	1184	584	15.6	0.72	<b>824.00</b>	11	1525	732	17.5	1.46	<b>1134.90</b>
	15	1907	946	17.7	1.08	<b>966.50</b>	16	2088	988	20.9	2.18	<b>1365.50</b>
	20	2668	1323	19.8	1.45	<b>1107.80</b>	21	2840	1330	23.9	2.93	<b>1484.80</b>
1200	10	1291	636	17.0	0.78	<b>865.90</b>	11	1663	798	19.1	1.60	<b>1192.20</b>
	15	2081	1032	19.3	1.18	<b>1016.80</b>	16	2278	1078	22.8	2.38	<b>1438.90</b>
	20	2910	1443	21.6	1.58	<b>1170.30</b>	21	3098	1451	26.0	3.19	<b>1567.90</b>
1400	10	1506	742	19.9	0.91	<b>1007.00</b>	11	1940	931	22.3	1.86	<b>1365.30</b>
	15	2428	1204	22.5	1.37	<b>1181.60</b>	16	2657	1258	26.6	2.77	<b>1649.40</b>
	20	3395	1684	25.2	1.85	<b>1411.80</b>	21	3615	1693	30.4	3.72	<b>1889.30</b>
1600	10	1722	849	22.7	1.04	<b>1142.50</b>	11	2218	1064	25.4	2.13	<b>1561.60</b>
	15	2774	1376	25.8	1.57	<b>1354.00</b>	16	3037	1438	30.4	3.17	<b>1908.60</b>
	20	3880	1924	28.8	2.11	<b>1626.00</b>	21	4131	1935	34.7	4.26	<b>2190.60</b>
1800	10	1937	955	25.6	1.17	<b>1236.60</b>	11	2495	1197	28.6	2.39	<b>1686.20</b>
	15	3121	1548	29.0	1.76	<b>1469.90</b>	16	3416	1617	34.2	3.56	<b>2070.40</b>
	20	4365	2165	32.4	2.38	<b>1764.60</b>	21	4648	2177	39.1	4.79	<b>2375.60</b>
2000	10	2152	1061	28.4	1.30	<b>1333.60</b>	11	2772	1330	31.8	2.66	<b>1813.40</b>
	15	3468	1720	32.2	1.96	<b>1643.10</b>	16	3796	1797	38.0	3.96	<b>2332.80</b>
	20	4850	2405	36.0	2.64	<b>1904.90</b>	21	5164	2418	43.4	5.32	<b>2564.30</b>
2200	10	2367	1167	31.2	1.43	<b>1483.50</b>	11	3049	1463	35.0	2.93	<b>2034.00</b>
	15	3815	1892	35.4	2.16	<b>1841.60</b>	16	4176	1977	41.8	4.36	<b>2635.70</b>
	20	5335	2646	39.6	2.90	<b>2148.60</b>	21	5680	2660	47.7	5.85	<b>2909.20</b>
2400	10	2582	1273	34.1	1.56	<b>1636.50</b>	11	3326	1596	38.2	3.19	<b>2224.60</b>
	15	4162	2064	38.6	2.35	<b>2021.20</b>	16	4555	2156	45.6	4.75	<b>2870.50</b>
	20	5820	2886	43.2	3.17	<b>2355.80</b>	21	6197	2902	52.1	6.38	<b>3171.80</b>
2600	10	2798	1379	36.9	1.69	<b>1735.30</b>	11	3604	1729	41.3	3.46	<b>2359.10</b>
	15	4508	2236	41.9	2.55	<b>2145.70</b>	16	4935	2336	49.4	5.15	<b>3047.20</b>
	20	6305	3127	46.8	3.43	<b>2504.70</b>	21	6713	3144	56.4	6.92	<b>3371.90</b>
2800	10	3013	1485	39.8	1.82	<b>1848.00</b>	11	3881	1862	44.5	3.72	<b>2506.50</b>
	15	4855	2408	45.1	2.74	<b>2279.40</b>	16	5314	2516	53.2	5.54	<b>3231.60</b>
	20	6790	3367	50.4	3.70	<b>2662.60</b>	21	7230	3386	60.8	7.45	<b>3581.60</b>
3000	10	3228	1591	42.6	1.95	<b>1940.20</b>	11	4158	1995	47.7	3.99	<b>2631.30</b>
	15	5202	2580	48.3	2.94	<b>2397.60</b>	16	5694	2695	57.0	5.94	<b>3399.60</b>
	20	7275	3608	54.0	3.96	<b>2804.80</b>	21	7746	3628	65.1	7.98	<b>3774.20</b>

EN442 output at 20°C room temperature

# VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

## SLEEVE COUPLING M24

### Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

### Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

## SLEEVE COUPLING 1/2"

### Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1

### Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.


## JAGA PRO THERMOSTATIC VALVE



- with pre-setting
- for connection to the floor
- for two pipe
- complies to European standard EN 215.1

CODE	Description	Price £
5094.4414	Jaga Pro Thermostatic Valve (M24)	71.80
5090.1125	TRV Head (White)	44.70


## JAGA THERMOSTATIC VALVE - WALL



Consists of the following :


- 5090.407 Type 06 Angled TRV
- 5090.111 Type 06 Angled Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall (Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga Type 06 TRV (M24)	31.10
5090.111	Angled Type 06 Lockshield Valve (M24)	17.60
5090.1125	TRV Head (White)	44.70


## JAGA THERMOSTATIC VALVE - FLOOR



Consists of the following :

- 5090.405 Angled TRV
- 5090.109 Straight Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor (Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga Angled TRV (1/2")	31.10
5090.109	Straight Lockshield Valve (1/2")	18.10
5090.1125	TRV Head (White)	44.70

## ARTHRITIC AID



### CODE

5090.ARTH

## HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV Set (including valve, capillary & head)
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 Straight Lockshield Valve OR
- 5090.110 Angled Lockshield Valve

To suit pipework from the floor or wall (Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV Set (1/2")	159.30
5090.110	Angled Lockshield (1/2") (Wall)	17.60
5090.109	Straight Lockshield (1/2") (Floor)	18.10

## TRV HEADS



**CODE**  
5090.1125



**CODE**  
5090.1150



**CODE**  
5090.1151



**CODE**  
5090.1152



**CODE**  
5090.1161

CODE	Description	Price £
5090.1125	White (Heating)	44.70
5090.1150	White (Heating)	57.40
5090.1151	Chrome (Heating)	89.80
5090.1152	Silver (Heating)	63.90
5090.1161	Heimeier Thermostatic Head HC (Heating + Cooling)	91.50

EN442 output at 20°C room temperature

# TEMPO LST - PARTS

	HEAT EXCHANGER WALL MODEL SINGLE (.../W)								
	Height	200	300	400	500	600	700	800	900
L	Type	€	€	€	€	€	€	€	€
400	10	180.50	183.60	186.60	189.20	194.00	196.50	199.20	201.90
	15	224.70	228.70	232.70	237.90	241.50	245.40	248.60	251.60
	20	269.20	273.40	279.20	285.70	290.20	295.20	300.90	306.80
500	10	199.00	201.70	204.40	207.40	211.80	214.40	217.00	219.60
	15	249.70	253.50	257.50	262.90	266.90	270.90	274.00	276.90
	20	302.80	307.10	313.50	319.10	324.10	329.40	335.00	340.50
600	10	213.00	215.00	218.90	221.30	225.80	228.70	231.10	233.70
	15	271.40	275.50	279.20	284.50	288.70	292.80	295.50	298.90
	20	332.00	337.00	343.20	348.80	353.60	359.10	364.90	370.20
700	10	250.30	253.00	256.40	259.40	263.80	266.60	269.20	271.40
	15	324.10	328.20	331.70	337.00	340.70	345.20	348.00	350.90
	20	399.40	404.60	410.00	416.20	420.40	425.70	431.50	436.90
800	10	269.20	271.40	275.00	277.50	281.90	284.50	287.20	290.20
	15	350.70	354.30	358.30	363.90	367.60	371.40	374.10	377.40
	20	435.20	439.90	445.60	451.30	456.20	461.40	467.10	472.70
900	10	285.70	288.10	291.20	294.40	298.90	301.40	304.10	306.80
	15	375.60	379.60	383.40	388.80	392.90	396.70	399.60	402.60
	20	467.40	472.10	478.30	484.00	488.90	493.60	500.00	505.40
1000	10	316.00	318.60	321.90	324.60	329.40	331.70	334.40	337.00
	15	419.40	423.20	427.00	432.20	436.40	440.20	443.30	446.70
	20	526.90	531.10	536.90	543.50	547.90	553.20	559.10	564.30
1100	10	333.80	336.20	339.90	342.10	347.10	349.60	352.40	355.20
	15	446.70	450.30	454.50	459.40	463.80	467.40	470.60	473.90
	20	562.10	566.80	572.80	578.90	583.30	588.90	594.50	600.00
1200	10	351.60	354.30	357.40	360.10	364.90	367.60	370.00	372.50
	15	472.70	476.70	481.10	486.20	490.30	493.60	497.20	500.40
	20	598.70	603.10	609.50	615.30	619.50	625.00	630.70	636.30
1400	10	390.80	395.10	400.00	404.90	410.90	414.60	419.30	423.80
	15	532.00	536.90	543.50	550.90	557.10	563.50	568.10	572.80
	20	728.40	734.90	744.60	753.00	759.80	769.20	777.10	785.00
1600	10	466.50	471.50	476.30	481.10	487.10	490.50	495.50	500.40
	15	640.50	645.60	651.30	659.70	665.30	672.10	676.80	681.30
	20	874.70	881.40	891.00	899.60	906.00	915.10	923.10	930.90
1800	10	504.60	509.30	514.00	518.80	525.20	528.40	533.20	537.90
	15	697.50	702.60	708.80	716.60	722.30	729.40	733.90	738.60
	20	952.90	959.60	968.80	977.00	984.20	993.40	1001.60	1009.40
2000	10	543.70	548.20	553.20	557.40	564.30	567.30	572.40	576.80
	15	810.30	815.10	821.60	829.40	835.00	841.70	846.30	850.90
	20	1030.30	1036.90	1046.30	1055.00	1061.30	1070.80	1078.50	1086.50
2200	10	631.00	635.50	640.50	645.10	651.30	655.00	659.80	664.50
	15	940.50	945.60	951.60	959.60	965.30	972.20	976.60	981.20
	20	1201.10	1207.90	1217.50	1225.90	1232.40	1241.80	1249.60	1257.40
2400	10	678.60	685.40	691.50	696.20	706.10	710.40	716.60	722.30
	15	1010.00	1016.90	1024.80	1035.50	1043.90	1051.50	1057.80	1063.80
	20	1293.40	1301.50	1314.80	1326.70	1335.00	1347.10	1357.30	1368.00
2600	10	723.10	729.90	735.80	741.20	750.30	755.00	760.80	766.80
	15	1075.10	1082.90	1089.90	1100.60	1109.30	1117.10	1123.50	1129.70
	20	1380.80	1389.40	1401.70	1413.50	1422.20	1434.50	1445.30	1455.70
2800	10	765.30	772.00	777.70	783.60	792.70	797.00	803.00	808.70
	15	1139.20	1146.40	1153.30	1164.30	1172.90	1180.90	1187.10	1193.50
	20	1465.60	1473.70	1486.70	1498.30	1507.30	1518.70	1529.60	1540.30
3000	10	806.50	813.00	819.20	824.30	833.70	838.00	844.50	850.20
	15	1201.10	1208.20	1215.80	1226.50	1235.00	1242.80	1249.30	1255.40
	20	1550.00	1558.60	1571.30	1583.30	1591.90	1603.70	1614.40	1625.30

## Heat Exchanger Ordering Code

Product Height Length Type  
HTEW 040 050 10

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

	HEAT EXCHANGER WALL MODEL TWIN (.../W)							
	Height	300	400	500	600	700	800	900
L	Type	€	€	€	€	€	€	€
400	11	372.50	375.60	378.80	382.80	385.60	388.80	391.80
	16	450.80	455.10	459.90	464.00	468.20	472.10	476.70
	21	474.30	481.10	486.20	490.50	496.00	501.70	507.10
500	11	404.90	407.40	410.40	414.60	417.30	420.40	423.80
	16	496.00	500.40	505.40	509.30	513.30	517.60	521.50
	21	527.30	533.90	539.30	543.70	549.10	554.80	560.10
600	11	431.40	433.80	436.90	441.20	444.00	447.00	450.30
	16	535.60	539.50	545.40	549.10	553.20	557.30	561.80
	21	574.80	581.50	586.70	591.40	596.70	602.50	608.10
700	11	497.90	500.60	504.30	507.80	510.50	513.90	517.40
	16	629.70	634.10	639.20	643.00	647.00	651.30	655.80
	21	682.30	689.40	694.80	699.30	704.50	710.00	715.80
800	11	531.10	533.90	536.90	541.10	543.70	546.80	550.60
	16	677.90	682.00	687.30	691.50	695.60	699.70	703.90
	21	739.40	746.10	751.40	756.20	761.30	766.90	772.70
900	11	560.90	563.50	566.80	570.40	573.60	576.80	580.00
	16	723.10	726.90	732.30	736.20	740.40	744.40	749.10
	21	791.80	798.90	804.20	808.30	814.40	819.40	825.10
1000	11	615.80	618.80	621.80	626.10	628.70	631.90	635.00
	16	801.20	805.40	810.60	814.60	818.60	822.60	827.00
	21	885.70	891.90	897.30	901.70	907.00	912.70	918.20
1100	11	647.80	650.40	653.40	657.70	660.50	663.80	666.90
	16	849.60	853.70	858.70	863.30	866.90	871.50	875.60
	21	943.60	950.60	955.80	960.10	965.30	971.20	976.60
1200	11	680.60	683.80	686.60	690.60	693.40	696.80	700.10
	16	898.50	902.80	907.90	911.60	915.80	920.20	924.90
	21	1001.20	1007.40	1013.20	1017.90	1022.70	1028.50	1034.20
1400	11	754.00	758.10	762.80	769.20	773.70	778.30	782.60
	16	1005.20	1011.20	1019.10	1025.40	1031.20	1037.60	1044.10
	21	1212.10	1220.80	1230.50	1236.40	1244.70	1253.50	1261.30
1600	11	891.00	894.70	899.60	905.70	909.80	914.90	919.30
	16	1199.90	1205.60	1213.50	1219.80	1225.90	1232.80	1239.40
	21	1445.90	1454.70	1464.00	1470.40	1478.10	1486.90	1495.20
1800	11	959.60	963.90	968.00	974.50	979.10	983.40	987.90
	16	1303.20	1309.10	1317.40	1323.00	1328.70	1335.40	1342.30
	21	1570.20	1579.60	1588.30	1594.80	1603.30	1611.30	1620.00
2000	11	1029.10	1032.90	1037.40	1043.90	1048.10	1053.00	1057.60
	16	1504.60	1510.70	1518.50	1524.70	1530.30	1537.00	1543.70
	21	1695.10	1704.10	1713.90	1719.60	1728.40	1736.50	1744.70
2200	11	1186.70	1190.70	1195.20	1201.10	1205.60	1210.50	1215.40
	16	1739.80	1745.80	1753.40	1759.80	1765.40	1772.10	1778.60
	21	1967.20	1976.70	1986.00	1991.80	2000.70	2008.90	2017.00
2400	11	1273.50	1278.30	1285.00	1293.40	1298.50	1305.10	1311.50
	16	1866.10	1874.00	1884.90	1892.60	1900.50	1909.00	1917.90
	21	2117.50	2130.30	2142.50	2150.20	2161.90	2173.00	2183.90
2600	11	1353.50	1358.80	1365.10	1373.40	1378.60	1385.00	1392.20
	16	1983.90	1991.80	2002.20	2010.30	2018.40	2027.20	2035.50
	21	2256.90	2268.80	2281.40	2289.00	2300.90	2311.80	2323.00
2800	11	1430.80	1436.30	1442.10	1451.00	1456.20	1462.70	1469.90
	16	2097.60	2105.80	2116.20	2124.00	2132.50	2141.00	2149.50
	21	2393.00	2406.00	2417.90	2425.80	2437.50	2448.20	2459.50
3000	11	1504.60	1509.80	1516.20	1524.70	1529.90	1536.90	1542.70
	16	2209.80	2217.60	2228.20	2236.30	2244.20	2252.60	2261.70
	21	2528.40	2541.00	2552.70	2560.70	2572.60	2583.60	2594.50




## TEMPO LST - PARTS

CASINGS									
	Height	200	300	400	500	600	700	800	900
L	Type	£	£	£	£	£	£	£	£
400	10	99.60	115.00	132.70	151.00	168.80	184.80	202.30	219.60
	15	110.00	127.30	145.70	166.90	184.80	201.90	221.40	240.40
	20	120.70	138.90	159.10	180.50	201.90	220.80	241.00	261.70
500	10/11	107.60	126.10	145.70	166.90	186.60	205.50	225.60	245.20
	15/16	119.20	138.50	159.80	182.80	203.40	223.20	244.80	266.60
	20/21	131.10	152.40	174.00	199.00	221.60	242.90	266.30	289.50
600	10/11	113.50	133.30	154.50	177.30	199.30	219.20	240.80	262.30
	15/16	125.80	146.90	169.40	194.50	217.00	239.20	262.60	285.70
	20/21	138.50	161.00	185.40	211.40	236.50	259.40	283.90	308.90
700	10/11	125.80	149.20	173.10	199.00	223.20	245.40	270.20	294.80
	15/16	140.70	165.00	190.30	218.30	242.90	267.20	293.00	319.10
	20/21	155.10	180.00	207.40	235.60	263.80	289.50	316.90	344.50
800	10/11	133.30	159.10	184.80	213.00	240.00	264.80	291.70	318.10
	15/16	149.20	175.50	203.40	233.30	260.70	287.20	315.70	343.90
	20/21	165.00	192.30	221.60	253.00	283.30	310.60	340.50	370.20
900	10/11	141.60	168.80	197.30	226.70	255.40	283.30	311.80	340.50
	15/16	158.10	186.60	216.60	249.40	278.30	306.80	337.00	367.60
	20/21	174.90	204.40	236.50	269.40	301.40	331.30	363.20	394.70
1000	10/11	151.00	180.50	210.60	242.90	274.60	303.20	334.30	365.70
	15/16	169.40	200.10	231.30	266.60	298.30	329.40	361.80	394.10
	20/21	187.60	219.20	253.00	288.10	322.20	354.30	388.30	422.50
1100	10/11	161.00	193.70	226.50	260.70	294.80	326.60	360.10	394.10
	15/16	181.40	214.40	249.40	286.20	320.70	353.60	388.80	423.80
	20/21	200.10	235.20	270.90	308.90	345.60	379.90	416.80	453.90
1200	10/11	168.50	203.00	236.90	274.60	309.90	344.50	379.90	415.30
	15/16	188.90	224.10	260.70	299.90	336.20	371.40	409.20	446.70
	20/21	209.40	245.40	284.10	324.10	363.20	399.40	438.30	476.70

### Casings Ordering Code

Product Height Length Depth Colour  
CTEW 050 070 10 101



CASINGS CONTINUED									
	Height	200	300	400	500	600	700	800	900
L	Type	£	£	£	£	£	£	£	£
1400	10/11	186.30	225.80	265.10	307.10	348.60	387.30	427.50	468.20
	15/16	209.40	249.70	291.20	335.80	376.50	417.30	459.80	501.70
	20/21	233.70	275.50	318.60	363.90	407.40	449.00	492.60	536.60
1600	10/11	210.30	253.50	298.30	344.50	390.20	433.40	478.20	523.50
	15/16	237.90	283.30	328.50	377.40	423.20	468.20	514.80	561.80
	20/21	266.60	312.50	359.90	409.40	457.40	504.30	552.40	600.50
1800	10/11	226.70	275.50	324.90	376.10	425.70	474.70	524.50	574.00
	15/16	257.50	307.10	357.40	410.90	462.30	511.90	563.50	614.90
	20/21	288.10	339.50	391.20	445.60	498.70	550.60	603.30	656.20
2000	10/11	248.50	301.40	355.60	410.90	466.30	519.70	573.50	627.70
	15/16	281.60	335.80	391.20	450.00	504.60	559.50	615.60	671.70
	20/21	314.10	369.70	426.50	485.60	543.70	599.60	657.40	714.60
2200	10/11	275.00	332.00	391.20	451.30	510.50	567.70	626.90	686.40
	15/16	313.50	372.30	432.20	495.00	554.40	613.40	674.30	734.90
	20/21	350.70	410.40	472.10	535.60	597.80	658.30	720.30	781.90
2400	10/11	294.40	356.80	421.10	486.60	550.90	613.80	678.40	742.90
	15/16	335.80	400.00	465.20	532.70	597.80	662.40	728.50	794.70
	20/21	375.60	441.20	507.80	576.20	644.10	709.80	777.30	844.60
2600	10/11	313.50	381.00	449.00	519.70	588.60	655.80	724.60	793.10
	15/16	358.30	427.00	496.30	569.50	639.20	707.80	778.60	849.10
	20/21	400.60	470.90	542.50	615.30	687.30	757.90	829.40	901.40
2800	10/11	344.50	416.60	489.30	564.30	638.90	710.40	784.40	857.60
	15/16	390.80	463.80	538.50	615.80	689.80	763.40	839.00	914.90
	20/21	435.20	509.80	586.70	664.50	741.40	816.70	893.40	970.30
3000	10/11	360.10	436.90	514.60	593.90	672.10	749.10	827.00	905.70
	15/16	410.40	488.10	567.30	650.00	727.60	805.90	886.00	965.30
	20/21	457.40	536.90	616.80	700.10	781.60	860.60	941.80	1022.70

PENCIL-PROOF GRILLE															
L	Type	Code	£	L	Type	Code	£	L	Type	Code	£	L	Type	Code	£
500	10/11	56060.00005010	47.60	1000	10/11	56060.00010010	71.50	1800	10/11	56060.00018010	109.10	2800	10/11	56060.00028010	155.80
	15/16	56060.00005015	53.20		15/16	56060.00010015	81.90		15/16	56060.00018015	127.30		15/16	56060.00028015	184.10
	20/21	56060.00005020	59.90		20/21	56060.00010020	95.60		20/21	56060.00018020	151.00		20/21	56060.00028020	221.30
600	10/11	56060.00006010	52.30	1100	10/11	56060.00011010	76.10	2000	10/11	56060.00020010	118.90	3000	N/A	N/A	N/A
	15/16	56060.00006015	58.70		15/16	56060.00011015	87.30		15/16	56060.00020015	139.50		N/A	N/A	N/A
	20/21	56060.00006020	66.60		20/21	56060.00011020	102.20		20/21	56060.00020020	165.30		N/A	N/A	N/A
700	10/11	56060.00007010	56.60	1200	10/11	56060.00012010	81.00	2200	10/11	56060.00022010	127.80				
	15/16	56060.00007015	64.40		15/16	56060.00012015	93.60		15/16	56060.00022015	150.10				
	20/21	56060.00007020	73.70		20/21	56060.00012020	109.80		20/21	56060.00022020	179.70				
800	10/11	56060.00008010	61.30	1400	10/11	56060.00014010	89.80	2400	10/11	56060.00024010	137.00				
	15/16	56060.00008015	69.70		15/16	56060.00014015	104.20		15/16	56060.00024015	161.50				
	20/21	56060.00008020	81.00		20/21	56060.00014020	123.60		20/21	56060.00024020	193.70				
900	10/11	56060.00009010	66.40	1600	10/11	56060.00016010	99.60	2600	10/11	56060.00026010	146.80				
	15/16	56060.00009015	75.50		15/16	56060.00016015	116.00		15/16	56060.00026015	173.60				
	20/21	56060.00009020	88.00		20/21	56060.00016020	137.00		20/21	56060.00026020	207.40				





☎ +44 1531 631 533  
✉ [jaga@jaga.co.uk](mailto:jaga@jaga.co.uk)  
🌐 [www.jaga.co.uk](http://www.jaga.co.uk)

📍 **JAGA UK**  
Kriekels House,  
Lower Road Trading Estate, Ledbury,  
Herefordshire HR8 2DJ

**Notes relative to price list**

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate